Safety Data Sheet DEVTHANE 359H FED STD 20227 TAN KIT

> Bulk Sales Reference No.: SDS Revision Date: SDS Revision Number:

Sales Order: {SalesOrd} DC359H1227 10/22/2015 0-

X.International.

1. Identifi	cation of the preparation and company
1.1. Product identifier	
Product Identity	DEVTHANE 359H FED STD 20227 TAN KIT
Bulk Sales Reference No.	DC359H1227
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Intended Use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety of	lata sheet
Company Name	International Paint LLC
	6001 Antoine Drive
	Houston Texas 77091
Emergency	
CHEMTREC (USA)	(800) 424-9300
International Paint	(713) 682-1711
Poison Control Center	(800) 854-6813
Customer Service	
International Paint	(800) 589-1267
Fax No.	(800) 631-7481
2. H	azard identification of the product

2.1. Classification of the substance or mixture

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

Health: 3

Flammability: Not Defined

Reactivity: 0

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
	1.1		

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first	ald measures
General	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.
Ingestion	If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.
4.2. Most important sy	mptoms and effects, both acute and delayed
Overview	Avoid contact with eyes, skin and clothing.
Inhalation	Harmful if inhaled. Causes nose and throat irritation.
Eyes	Causes severe eye irritation. Avoid contact with eyes.
Skin	Causes skin irritation. May be harmful if absorbed through the skin.
Ingestion	Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.
Chronic effects	

5.1. Extinguishing media

4.1 Description of first aid measures

CAUTION: This product has a very low flashpoint. Use of water spray when fighting fire may be inefficient. CAUTION: For mixtures containing alcohol or polar solvent, alcohol-resistant foam may be more effective. SMALL FIRES: Use dry chemical, CO2, water spray or regular foam. LARGE FIRES: Use water spray, fog, or regular foam. Do not use straight streams. Move containers from fire area if you can do so without risk.

5. Fire-fighting measures

5.2. Special hazards arising from the substance or mixture

HIGHLY FLAMMABLE MATERIALS: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks) creating a vapor explosion hazard. Runoff to sewers may create fire or explosion hazard. Containers may explode when heated. Many liquids are lighter than water.

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water courses.

ERG Guide No. 128

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only non-sparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use non-sparking tools to collect absorbed material.

6.2. Environmental precautions

Do not allow spills to enter drains or watercourses.

6.3. Methods and material for containment and cleaning up

CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 50 meters (150 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters (1000 feet).

7. Handling and storage

7.1. Precautions for safe handling Handling

Vapors may cause flash fire or ignite explosively.

In Storage Keep away from heat, sparks and flame.

7.2. Conditions for safe storage, including any incompatibilities

Store between 40-100F (4-38C).

Avoid contact with eyes and clothing. Avoid prolonged or repeated contact with skin.

Strong oxidizing agents.

Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone.

7.3. Specific end use(s)

Close container after each use.

Wash thoroughly after handling.

		8. Exp	osure co	ontrols and	d personal	protection		
8.1. Control parameters								
Exposure								
CAS No.		Ingredient	S	Source		Value		
				Health I	1			
CAS No.		Ingredie	nt		Source	Value		
			(Carcinoge	n Data			
CAS No.	Ing	gredient	Source			Value		
8.2. Exposure	e controls							
Respiratory		document. En- watering, head levels are abo (NIOSH appro directions for r ONLY: For info products, call Canada call 1- manufacturer's the information Avoid contact protection from Depending on and/or head a	sure fres dache or ve applic ved) dur respirator ormation OH&ESE -800-267 s respirat n contain with eyes n exposu the site- nd face p	h air entry dizziness able limits ing and af use. FOF and assis Technica -4414. Pla tory protected in this s. Protection re to the opportection	v during ap or if air mo s, wear an fter applica R USERS at Service ease do no ction produ Material S ive equipm chemicals onditions c may be re	n the ingredients listed ir pplication and drying. If yo onitoring demonstrates of appropriate, properly fitt ation. Follow respirator m OF 3M RESPIRATORY 3M occupational health a toll free in U.S.A. 1-800- ot contact these numbers ucts. 3M does not endors afety Data Sheet. hent should be selected t listed in Section 3 of this of use, safety glasses, ch quired to prevent contac after each use.	ou experience eye dust, vapor, or mist ted respirator nanufacturer's PROTECTION and safety 243-4630, in s regarding other se the accuracy of to provide s document. nemical goggles,	
Skin		Protective equip chemicals lister conditions of u	uipment s ed in Sec use, prote	hould be tion 3 of t ective glov	selected to his docum /es, apron,	o provide protection from ent. Depending on the si boots, head and face p t must be thoroughly cle	ite-specific rotection may be	
Engineering	Controls	Depending on	the site-	specific co	onditions c	of use, provide adequate	ventilation.	
Other Work F	Practices	immediate vici Wash hands b	inity of ar before ea vash cloth	ny potentia ting, drink	al exposur	showers should be avai e. Use good personal hy toilet facilities, etc. Prom re reuse. Shower after w	rgiene practices. aptly remove soiled	
		9	. Physica	al and che	mical prop	perties		

Appearance	Coloured Liquid
Odour threshold	Not Measured
рН	No Established Limit
Melting point / freezing point	Not Measured

98 (°C) 208 (°F) 27 (°C) 80 (°F) Not Measured Not Applicable Lower Explosive Limit: .7
Upper Explosive Limit: No Established Limit
Not Measured
Heavier than air
1.18
Not Measured
Not Measured
Not Measured
Not Measured
No Established Limit Not Measured
Refer to the Technical Data Sheet or label where information is available.

10. Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

This product is stable and hazardous polymerization will not occur. Not sensitive to mechanical impact. Excessive heat and fumes generation can occur if improperly handled.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

HIGHLY FLAMMABLE MATERIALS: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks) creating a vapor explosion hazard. Runoff to sewers may create fire or explosion hazard. Containers may explode when heated. Many liquids are lighter than water.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr
Item	Category	Hazard		
Acute Toxicity (mouth)	Not Classified	Not Applicable		
Acute Toxicity (skin)	Not Classified	Not Applicable		
Acute Toxicity (inhalation)	Not Classified	Not Applicable		
Skin corrosion/irritation	Not Classified	Not Applicable		
Eye damage/irritation	Not Classified	Not Applicable		
Sensitization (respiratory)	Not Classified	Not Applicable		
Sensitization (skin)	Not Classified	Not Applicable		
Germ toxicity	Not Classified	Not Applicable		
Carcinogenicity	Not Classified	Not Applicable		
Reproductive Toxicity	Not Classified	Not Applicable		

Specific target organ systemic toxicity (single exposure)	Not Classified	Not Applicable
Specific target organ systemic Toxicity (repeated exposure)	Not Classified	Not Applicable
Aspiration hazard	Not Classified	Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	
12.2. Persistence and degradability				
No data available				
12.3. Bioaccumulative potential	12.3. Bioaccumulative potential			
Not Measured				
12.4. Mobility in soil				
No data available				
12.5. Results of PBT and vPvB assessment				
This product contains no PBT/vPvB chemi	cals.			
12.6. Other adverse effects				
No data available				

13. Disposal considerations

13.1. Waste treatment methods

Do not allow spills to enter drains or watercourses.

Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).

14. Transport information				
14.1. UN number	UN 1263			
14.2. UN proper shipping nai	me PAINT			
14.3. Transport hazard class	(es)			
DOT (Domestic Surface	Transportation)	IMO / IMDG (Ocean	Transportation)	
DOT Proper Shipping Name	PAINT	IMDG Proper Shipping Name	PAINT	
DOT Hazard Class	3	IMDG Hazard Class	3	
		Sub Class	3	
UN / NA Number	UN 1263			
DOT Packing Group	III	IMDG Packing Group	III	
CERCLA/DOT RQ	NA gal. / NA lbs.	System Reference Code	1	
14.4. Packing group	Ш			
14.5. Environmental hazards				
IMDG Marine Pollu	utant: No			
14.6. Special precautions for	user			

Not Applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

	15. Regulatory information
Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.
WHMIS Classification	Not Regulated
DOT Marine Pollutants (No Product Ingr	
DOT Severe Marine Po (No Product Ingr	
EPCRA 311/312 Chem (No Product Ingr	iicals and RQs (>.1%) : edients Listed)
EPCRA 302 Extremely (No Product Ingr	
EPCRA 313 Toxic Che (No Product Ingr	
Mass RTK Substances (No Product Ingr	
Penn RTK Substances (No Product Ingr	
Penn Special Hazardo (No Product Ingr	us Substances (>.01%) : edients Listed)
RCRA Status: (No Product Ingr	edients Listed)
N.J. RTK Substances ((No Product Ingr	
N.J. Special Hazardous (No Product Ingr	s Substances (>.01%) : edients Listed)
N.J. Env. Hazardous S (No Product Ingr	
Proposition 65 - Carcin	ogens (>0%):
Carbon black	
Cumene	
Benzene, ethyl-	
Formaldehyde	
Titanium dioxide	
(No Product Ingr	
Proposition 65 - Male F (No Product Ingr	
Proposition 65 - Develo (No Product Ingr	opmental Toxins (>0%): edients Listed)

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

This is the first revision of this SDS format, changes from previous revision not applicable.

End of Document