

HAF684 INTERTHERM 875 SURF GREY

3

10/27/14

1.

1.1. INTERTHERM 875 SURF GREY
HAF684

1.2. 0504266 (Unknown)

1.3. 626-6
(8-6)

1.4. 055-632-6286(),055 586 2310()
055 587 6276()
055 586 2310()
055 586 2310()

2.

2.1. 3; H226
- 4;H312
- 4;H332
/
2;H315
/
2;H319

2.2. 11 , 12



H315
H319
H332

[]:

P210 / / /
P261 / /가 / / /
P264
P271 가
P273
P280 / / /

[]:

P302+352 :
P303+361+353 () :
/ /
P304+312 : /
P305+351+338 가 : .가
P321 ().
P322 ().
P337+313 : /
P340 가
P362
P363
P370 :
P378 , , ,

[]:

P403+233 가

[]:

P501 ()

2.3. PBT (,) vPvB (,)

3.

/	%	GHS	
xylene CAS No: 0001330-20-7	30-40	3; H226 - 4;H312 - 4;H332 / 2;H315 / 2AIH319 -1 ;H336 - 1;H372	[1][2]
Titanium dioxide CAS No: 0013463-67-7	10-20		[1][2]
Ethylbenzene CAS No: 0000100-41-4	5-10	2;H225 - 4;H332 - 3;H373 1;H304 / 2;H315 / 2;H319 -1 ;H335	[1][2]
n-Butanol	2.5-5		[1][2]

CAS No: 0000071-36-3		3; H226 - 4;H302 -1 ;H335 / 2;H315 / 1;H318 -1 ;H336	
Toluene CAS No: 0000108-88-3	<1	2;H225 / 2;H315 2;H361 - 4;H332 1;H317 - 2;H411	[1][2]
	30-40	---	---

- 1)
- 2) 가
- 3) PBT vPvB
16

4.

4.1.

가

가

10

4.2. 가 /

4.3.

5. ,

5.1.

;

Note;

가

가

5.2.

가

5.3.

가

가

6.

6.1.

가

가

가

가

6.2.

가

6.3.

.8

가

가

가

가

가

7.

7.1.

가

가

(LEL)

(OEL)

가

가

가

(LEL)

(OEL)

7.2. ()

, 8

가 , 가
61
가 , 1

7.3. Specific end use(s)

가
, 가 . 3

Hot surfaces, Sparks,

가 (60% ,)

8.

8.1. , (OEL) (ACGIH)

(ACGIH)

	ppm	mg/m ³	ppm	mg/m ³
Ethylbenzene	125	545	100	435
n-Butanol			C50	C150
Titanium dioxide				10
Toluene	150	560	100	375
xylene	150	655	100	434

(P) (Peak exposure limit)

(R)

(Sk)

(Sen)

(Cat 1)

(Cat 2) 가

(Cat 3)

DNEL/PNEC

8.2.

가

가

(visor)

(overall)

가

For Professional Applications (Indoor and Outdoor) the maximum daily exposure allowed is less than or equal to 8 hours. This is for natural, local exhaust or no ventilation wearing the PPE requirements highlighted above.

9.

pH

/ (°C)

(°C)

108

24

(= 1)

(,)

/

: 1.1 (xylene)

: 6.6 (xylene)

(Pa)

1.11

n-

/

(Log Kow)

9.2.

10.

10.1.

10.2.

.(Section 7)

10.3.

가 가

10.4.

.(7 .)

10.5.

10.6.

가

11.

(OEL)

가 가 가 2

	LD50, mg/kg	LD50, mg/kg	LD50, mg/L/4hr	/ LD50, mg/L/4hr
Ethylbenzene - (100-41-4)	3,500.00,	15,433.00,	17.20,	
n-Butanol - (71-36-3)	2,292.00,	3,430.00,		
Titanium dioxide - (13463-67-7)	10,000.00,	10,000.00,		6.82,
Toluene - (108-88-3)	636.00,	8,400.00,		
xylene - (1330-20-7)	4,299.00,	1,548.00,		20.00,

--	--	--

()		
()	4	
()	4	
/	2	
/	2	
(1)		
()		

12.

12.1. 1999/45/EC 가 ,
가

	96 hr LC50 mg/l ,	49 hr EC50 mg/l ,	ErC50 mg/l ,
xylene - (1330-20-7)	3.30, Oncorhynchus mykiss	8.50, Palaemonetes pugio	100.00 (72 hr), Chlorococcales
Titanium dioxide - (13463-67-7)	1,000.00, Fundulus heteroclitus	5.50, Daphnia magna	5.83 (72 hr), Pseudokirchneriella subcapitata
Ethylbenzene - (100-41-4)	4.20, Oncorhynchus mykiss	2.93, Daphnia magna	3.60 (96 hr), Pseudokirchneriella subcapitata
n-Butanol - (71-36-3)	1,376.00, Pimephales promelas	1,328.00, Daphnia magna	500.00 (96 hr), Scenedesmus subspicatus
Toluene - (108-88-3)	5.80, Oncorhynchus mykiss	19.60, Daphnia magna	

12.2. 가 .

12.3.

12.4.

12.5. , , 가
PBT (,) vPvB (,)

12.6.

13.

13.1.

가

14.

14.1. 1263

14.2.

14.3.

1263, , 3, III, 3[Y]

IMDG Class/Div. 3

EmS F-E,S-E

ICAO/IATA 3

14.4. III

14.5.

:

IMDG :

14.6. 가 가

14.7. MARPOL73/78 Annex II IBC Code .

15.

4 , 2 , III

MSDS 8

0504266 (Unknown)

n-Butanol (0000071-36-3)

Ethylbenzene (0000100-41-4)

Titanium dioxide (0013463-67-7)

0504266 (Unknown)

carbon black (0001333-86-4)
Silica(quartz) (0014808-60-7)
Ethylbenzene (0000100-41-4)
Titanium dioxide (0013463-67-7)
Toluene (0000108-88-3)

0504266 (Unknown)

n-Butanol (0000071-36-3)
Ethylbenzene (0000100-41-4)
Titanium dioxide (0013463-67-7)
xylene (0001330-20-7)

0504266 (Unknown)

n-Butanol (0000071-36-3)
Ethylbenzene (0000100-41-4)
xylene (0001330-20-7)

0504266 (Unknown)

0504266 (Unknown)

0504266 (Unknown)

0504266 (Unknown)

0504266 (Unknown)

0504266 (Unknown)

Ethylbenzene (0000100-41-4)
xylene (0001330-20-7)

0504266 (Unknown)

0504266 (Unknown)

0504266 (Unknown)

16.

: 10/27/2014
: 3
: 11/18/2005

MSDS KOSHA, NITE, ESIS, NLM, SIDS, IPCS, NCIS

SDS

Section 3 Phrases

- H225
- H226
- H302
- H304
- H312
- H315
- H318
- H319

H332

H335

H336

H372

H373

This SDS is valid for 5 years from the revised date on page 1.



Akzo Nobel

가