MATERIAL SAFETY DATA SHEET

INTERGARD 251 CONVERTER

MSDS Revision No: A2 -7

MSDS Revision Date: 01/19/2002

EMERGENCY NUMBERS:

International Paint Inc. (800) 424-9300

(703) 527-3887

CHEMTREC (USA)
CHEMTREC (Intl)

Sales Order: {SalesOrd}

6001 Antoine Drive

(800) 854-6813 **CUSTOMER SERVICE:**

Poison Control Center

(800) 589-1267

(Non-Emergency)

Houston, Texas 77091

(800) 631-7481

International Paint Interlux

1. GENERAL INFORMATION

Product Identity: INTERGARD 251 CONVERTER

International.

Bulk Sales Reference No: 251B

IMPORTANT: Read this MSDS before handling or disposing of this product, and provide this information to the employee, customers, and users of this product. PLEASE NOTE THE MSDS REVISION NUMBER AT THE TOP OF THIS PAGE. If the MSDS Revision Number posted at the top of this page does not match the MSDS Revision Number on the product label, please contact Customer Service at the phone number included above for the correct MSDS. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard.

2. HAZARDOUS INGREDIENT INFORMATION

CAS No. 000090-72-2	Ingredient Name & %	Source	Exposure Data
	2,4,6-Tri(dimethylaminomethyl) phenol 1.0 - 10% by Weight	OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available
		Supplier:	No Data Available
		OHSA, CAN:	No Data Available
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	Health Data
		NIOSH:	No Data Available
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No;
		IAKC:	Group 2b: No; Group 3: No; Group 4: No
CAS No.	Ingredient Name & %	Source	Exposure Data

		OSHA:	100 ppm TWA; 435 mg/m3 TWA125 ppm STEL; 545 mg/m3 STEL	
000100-41-4		ACGIH:	100 ppm TWA125 ppm STEL	
	Ethyl benzene 1.0 - 10% by Weight	NIOSH:	100 ppm TWA; 435 mg/m3 TWA125 ppm STEL; 545 mg/m3 STEL800 ppm IDLH	
		Supplier:	No Data Available	
		OHSA, CAN:	100 ppm TWAEV; 435 mg/m3 TWAEV125 ppm STEV; 540 mg/m3 STEV	
		Mexico:	100 ppm TWA; 435 mg/m3 TWA125 ppm STEL; 545 mg/m3 STEL	
		Brazil:	78 ppm; 340 mg/m3; medium degree of harm	
		Source	Health Data	
		NIOSH:	Eye skin	
		Source	Carcinogen Data	
		OSHA:	Select Carcinogen: No	
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No	
			Group 1: No; Group 2A: No;	
		IARC:	Group 2b: Yes; Group 3: No; Group 4: No	
CACAL	La constitue Alexand No. 10 07	C	F	
CAS No.	Ingredient Name & %	Source	Exposure Data	
		OSHA:	100 ppm TWA; 435 mg/m3 TWA150 ppm STEL; 655 mg/m3 STEL	
		ACGIH:	100 ppm TWA150 ppm STEL	
		NIOSH:	100 ppm TWA; 435 mg/m3 TWA900 ppm IDLH	
		Supplier:	No Data Available 100 ppm TWAEV; 435 mg/m3 TWAEV150 ppm STEV; 650 mg/m3	
		OHSA, CAN:	STEV	
		Mexico:	100 ppm TWA; 435 mg/m3 TWA150 ppm STEL; 655 mg/m3 STEL	
001330-20-7	Xylenes (o-, m-, p- isomers) 25 - 50% by Weight	Brazil:	78 ppm; 340 mg/m3; skin absorber; medium degree of harm	
	23 - 30% by Weight	Source	Health Data	
		NIOSH:	Central nervous system depressant; respiratory and eye irritation	
		Source	Carcinogen Data	
		OSHA:	Select Carcinogen: No	
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No	
		IARC:	Group 1: No; Group 2A: No;	
		IAKC:	Group 2b: No; Group 3: Yes; Group 4: No	
CAS No.	Ingredient Name & %	Source	Exposure Data	
	Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines 25 - 50% by Weight	OSHA:	No Data Available	
		ACGIH:	No Data Available	
		NIOSH:	No Data Available	
		Supplier:	No Data Available	
			No Data Available	
		Mexico:	No Data Available	
		Brazil:	No Data Available	
068410-23-1		Source	Health Data	
		NIOSH:	No Data Available	
		Source	Carcinogen Data	
		Source	Carcinogen Data	

OSHA: Select Carcinogen: No

NTP: Known Carcinogen: No; Suspected Carcinogen: No

Group 1: No; Group 2A: No;

IARC: Group 2A: No;

Group 3: No; Group 4: No

3. HAZARD IDENTIFICATION

Group 2b: No;

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Overview: Avoid contact with eyes, skin and clothing. Harmful if inhaled. Causes nose and throat irritation. Vapors may affect the brain or nervous system causing dizziness, headache **Inhalation:** or nausea. Causes eye burns. Do not get in eyes. Eyes: Causes skin burns. May be harmful if absorbed through the skin. Skin: Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness. **Ingestion:** Contains an ingredient which can cause organ damage (See Section 2 and Section 15 for each ingredient). Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 2 and Section 15 for each ingredient). **Chronic Effects:** Risk of cancer depends on duration and level of exposure. **HMIS Rating:** Health: 3* Flammability: 3 Reactivity: 0

4. FIRST AID MEASURES

Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Skin: In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.

If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.

5. PROTECTIVE EQUIPMENT AND CONTROL MEASURES

Select equipment to provide protection from the ingredients listed in Section 2 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY Respiratory: PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1-800-243-4630, in Canada call 1-800-267-4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet. Do not get in eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and Eyes: face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this Skin/Hand: document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.

Engineering Controls: Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use **Other Work Practices:** good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

6. FIRE AND EXPLOSION INFORMATION

F: 81 Flash Point:

Fire and Explosion Hazards:

Fire Fighting Procedures:

C: 27

Lower Explosive Limit (LEL): 1 (%vol in air) at Normal Atmospheric Temp and Pressure

Flammable liquid and vapor, FLAMMABLE/COMBUSTIBLE MATERIALS; Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks) creating a vapor explosion hazard. Runoff to sewers may create fire or explosion hazard.

Containers may explode when heated.

CAUTION: This product has a very low flashpoint. Use of water spray when fighting fire may be inefficient. SMALL FIRES: Use dry chemical, CO2, water spray or alcohol-resistant foam. LARGE FIRES: Use water spray, fog, or alcohol-resistant foam. Do not use straight streams. Move containers from fire area if you can do so without

risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the

material.

Also Reference Emergency Response Guide Number: 127

7. PHYSICAL AND CHEMICAL PROPERTIES

Liquid **Physical State:**

Not Determined pH:

0.92097 **Specific Gravity:**

Boiling Point (F): 279

Vapor Density: Heavier than air

VOC Content (lbs): Refer to the Technical Data Sheet for this product

Slower than ether **Evaporation Rate:**

8. STABILITY AND REACTIVITY DATA

General: This product is stable and hazardous polymerization will not occur.

Incompatible Materials: Strong oxidizing agents.

May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and **Hazardous Decompostion:**

Carbon Monoxide.

9. HANDLING AND STORAGE

Store between 32 and 120 F **Storage Temperature:**

Handling and Storage

Precautions:

Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may cause flash fire or ignite explosively. Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation. Do not get in eyes, on skin or clothing. Close container after each use. Wash thoroughly after handling.

10. TOXICOLOGICAL DATA

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or General: fatal. No additional information provided for this product. See Section 2 for chemical specific data.

11. ECOLOGICAL DATA

General: No additional information provided for this product. See Section 2 for chemical specific data.

12. ACCIDENTAL RELEASE MEASURES

ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only non-sparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use non-sparking tools to collect absorbed material.

CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas.

Public Safety:

Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters (1000 feet).

Also, Reference Emergency Response Guide Number: 127

13. DISPOSAL CONSIDERATION

Waste Disposal:

Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).

14. TRANSPORTATION INFORMATION

DOT (Domestic	Surface Transportation)	IMO / IMDG (Ocean Transportation)		
DOT Proper Shipping Name:		IMDG Proper Shipping Name:		
PAINT		PAINT		
DOT Hazard Class:	3	IMDG Hazard Class:	3.3 - High flashpoint flammable liquids	
UN / NA Number:	UN 1263	UN Number:	UN 1263	
DOT Packing Group:	III	IMDG Packing Group:	III	
CERCLA/DOT RQ:	32 gal. / 245 lbs.	System Reference Code:	1	

15. REGULATORY INFORMATION

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

WHMIS Classification: B2; D2B; E

Regulatory List Product Ingredients on List

DOT Marine Pollutants (10%):
(No Product Ingredients Listed)
DOT Severe Marine Pollutants (1%):
(No Product Ingredients Listed)
EPCRA 311/312 Chemicals and RQs:

000100-41-4 Ethyl benzene : final RQ = 1000 pounds (454 kg)

001330-20-7 Xylenes (o-, m-, p- isomers): final RQ = 100 pounds (45.4 kg)

EPCRA 302 Extremely Hazardous: (No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals: 000100-41-4

000100-41-4 Ethyl benzene

001330-20-7 Xylenes (o-, m-, p- isomers)

Mass RTK Substances:

000100-41-4 Ethyl benzene

001330-20-7 Xylenes (o-, m-, p- isomers)

Mass Extraordinarily Haz Substances:

(No Product Ingredients Listed)

Penn RTK Substances:

000100-41-4

001330-20-7 Xylenes (o-, m-, p- isomers)

Ethyl benzene

Penn Special Hazardous Substances:

(No Product Ingredients Listed) **Rhode Island Hazardous Substances:**

000100-41-4 Ethyl benzene

001330-20-7 Xylenes (o-, m-, p- isomers)

RCRA Status:

(No Product Ingredients Listed)

N.J. RTK Substances:

000100-41-4 Ethyl benzene

001330-20-7 Xylenes (o-, m-, p- isomers)

N.J. Special Hazardous Substances:

000100-41-4 Ethyl benzene

001330-20-7 Xylenes (o-, m-, p- isomers)

N.J. Env. Hazardous Substances:

000100-41-4 Ethyl benzene

001330-20-7 Xylenes (o-, m-, p- isomers)

Proposition 65 - Carcinogens:

(No Product Ingredients Listed)

Proposition 65 - Female Reproductive Toxins:

(No Product Ingredients Listed)

Proposition 65 - Male Reproductive Toxins:

(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins:

(No Product Ingredients Listed)

OTHER INFORMATION 16.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

End Of Document