NVA615_A0

Safety Data Sheet ENVIROLINE 376F-30 PART B FAST Bulk Sales Reference No.: SDS Revision Date: SDS Revision Number:

NVA615 06/24/2016 A0

X.International.

1. Identification of the preparation and company				
1.1. Product identifier				
Product Identity	ENVIROLINE 376F-30 PART B FAST			
Bulk Sales Reference Number	NVA615			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Intended Use	See Technical Data Sheet.			
Application Method	See Technical Data Sheet.			
1.3. Details of the supplier of the safety data sheet				
Company Name	International Paint Ltda			
	ARGENTINA:			
	Ruta Panamericana Km 37,5			
	Garin, Buenos Aires PO Box: B1606DQE			
	AKZONOBEL CHILE:			
	Calle Limache 3363 Local 3, El Salto			
	Viña del Mar, Chile			
	C.P. 2520642 - Rut 76.048140-8			
	BRAZIL:			
	Avenida Paiva, 999 - Neves Sao Goncalo. RJ			
	24426-148 Brazil			
Emergency				
Suatrans Cotec	0800 7071 767 or 0800 7077 022 or 0800 172020 or			
	55*2*7500 (24 hr)			
International Paint	ARGENTINA:			
	+54 3327 44 7777			
	CHILE: +56 32 267 1174			
	BRAZIL:			
	+55 21 2199-7100			
Poison Control Center (Brazil)	0800-0148110 or +55 11 3069-8800			
Medical Service (Argentina)	+54 3327 44 7144 or +54 3327 44 7282			
Firefighter/HSE (Argentina)	+54 3327 44 7123			
Customer Service	ARGENTINA: +54 3327 44 7777 Fax: +54 3327 44 7738			
	CHILE: +56 32 267 1174 Fax: +56 32 263 1496			
	BRAZIL: +55 21 2199-7100 Fax: +55 21 2199-7124			
2. Hazard identification of the product				
2.1. Classification of the substance or mixture				

2.1. Classification of the substance or mixture Acute Tox. 5;H303 Skin Corr. 1B;H314 Eye Dam. 1;H318 Skin Sens. 1;H317 Repr. 2;H361fd Aquatic Acute 2;H401 Aquatic Chronic 3;H412

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.



H227 Combustible liquid.

H303 May be harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P260 Do not breathe mist / vapours / spray.

P262 Do not get in eyes, on skin, or on clothing.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302+352 IF ON SKIN: Wash with soap and water.

P303+361+353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER or doctor / physician.

P312 Call a POISON CENTER or doctor / physician if you feel unwell.

P314 Get Medical advice / attention if you feel unwell.

P331 Do NOT induce vomiting.

P333 If skin irritation or a rash occurs:.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P370+376 In case of fire: Stop leak if safe to do so.

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %
Quartz CAS Number: 0014808-60-7	25 - 50
Wollastonite (Ca(SiO3)) CAS Number: 0013983-17-0	10 - 25
Diethylene triamine CAS Number: 0000111-40-0	1.0 - 10
Benzyl alcohol CAS Number: 0000100-51-6	1.0 - 10
Bisphenol A	1.0 - 10

CAS Number: 0000080-05-7	
Titanium dioxide CAS Number: 0013463-67-7	1.0 - 10
Xylenes (o-, m-, p- isomers) CAS Number: 0001330-20-7	1.0 - 10
Phenol, 4-nonyl-, branched CAS Number: 0084852-15-3	1.0 - 10
Cyclohexanamine, 4,4'-methylenebis- CAS Number: 0001761-71-3	1.0 - 10
FORMALDEHYDE, POLYMER WITH BENZENAMINE, HYDROGENAT CAS Number: 0135108-88-2	1.0 - 10
POLYMERCAPTAN (HMRIC number 5081) CAS Number: Proprietary	1.0 - 10
MERCAPTANE (HMRIC number 5081) CAS Number: TS-KH3755A	1.0 - 10
2,4,6-Tri(dimethylaminomethyl)phenol CAS Number: 0000090-72-2	1.0 - 10

This product contains percent

Quartz.

	4. First aid measures	
4.1. Description of f	irst aid measures	
General	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.	
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.	
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes Get medical attention immediately.	
Skin	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.	
Ingestion	If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NO ⁻ induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.	
4.2. Most important	symptoms and effects, both acute and delayed	
Overview	NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid contact with eyes, skin and clothing. Contains an ingredient which may cause reproductive disorders based on animal data (See Section 2 and Section 15 for each ingredient).	
Inhalation	Harmful if inhaled. May cause allergic respiratory reaction. May cause mucous membrane and respiratory tract irritation, tightness of chest, headache, shortness of breath and dry cough. May cause asthma-like symptoms to occur. Vapors may affect the brain or nervous system causing dizziness, headache or nausea.	
Eyes	Causes severe eye irritation. Avoid contact with eyes.	
Skin	Causes skin irritation. May cause allergic skin reaction. May be harmful if absorbed through the skin.	
Ingestion	Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.	
Chronic effects	Birth defect hazard. Contains an ingredient which can cause birth defects (See Section 2 and Section 15 for each ingredient). Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 2 and Sectior 15 for each ingredient). Risk of cancer depends on duration and level of exposure.	
	5. Fire-fighting measures	
5.1. Extinguishing n	nedia	
Appropriate	Water in form of fog, Co2, foam or dry chemical dust.	

Appropriate
Extinguishing MethodsWater in form of fog, Co2, foam or dry chemical dust.Inappropriate
Extinguishing MethodsDirect water spray into fireSpecific HazardsCan liberate toxic fumes or gases during the burning. For decomposition see section
10.

5.2. Special hazards arising from the substance or mixture

Special Methods Evacuate the area and to fight the fire at a safe distance upwind. Use water in fog to cool containers near the fire. Keep runoff from entering sewer. Extinguishing water must be disposed according to local legislation.

5.3. Advice for fire-fighters

Firefighter Protection In fire case, to use personal respiratory device and suits for protection. 6. Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only non-sparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material.	
6.1. Personal precautions, protective equipment and emergency procedures Personal precautions ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only non-sparking equipment to handle spilled material and	
Personal precautions ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only non-sparking equipment to handle spilled material and	
immediate area). Use only non-sparking equipment to handle spilled material and	
absorbent. Do not touch of walk through spined material.	
Public Safety Call Suatrans Cotec 0800 7071 767 or 0800 7077 022 or 0800 17 2020 or 55*2*7500 (24 hr) for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use non-sparking tools to collect absorbed material.	
6.2. Environmental precautions	
Environmental Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use non-sparking tools to collect absorbed material.	
6.3. Methods and material for containment and cleaning up	
Clean Up Method Cover with sand or other non-cumbustible material. Transfer absorbed material with a non-sparking tool.	
7. Handling and storage	

7.1. Precautions for safe handling

Handle the packages with care in order to avoid damage and spillage.

Be aware of the precautions referred to on the label.

Avoid contact with the eyes and the skin. Avoid swallowing of vapor and the pulverizations. Be aware of the precautions referred to on the label. Use personal protection equipment according to the section 8. No smoking, drinking or eating in the application areas.

All the ignition sources (hot surfaces, sparks, unprotected flames, etc.) must be excluded from the areas of manufacturing and application. The storage areas, the preparation and the application must be well ventilated. The product can be carried electrostatically. Always use grounding cables when transferring solvents or product. The operators must use adequate outfits which shall not develop static current. (at least 60% of natural fiber) and anti-static shoes.

Solvents based products: The solvent vapors are heavier than the air and can concentrate on the floor and explosive mixtures may be formed with the air .

Water based products: It does not require special cares for not being inflammable or explosive. Use only the indicated personal protection equipments.

7.2. Conditions for safe storage, including any incompatibilities Store between 40-100F (4-38C).

	8. Exposure controls	and perso	nal protection
	8.1. Contro	ol paramet	ers
	Exp	oosure	
CAS No.	Ingredient	Source	Value
0000080-05-7	Bisphenol A	ACGIH	
		Brazil	
0000090-72-2	2,4,6-Tri(dimethylaminomethyl)phenol	ACGIH	
		Brazil	
0000100-51-6	Benzyl alcohol	ACGIH	
		Brazil	
0000111-40-0	Diethylene triamine	ACGIH	1 ppm TWA
		Brazil	
0001330-20-7 Xylenes (o-, m-, p- isomers)	ACGIH	100 ppm TWA150 ppm STEL	
		Brazil	78 ppm TWA LT; 340 mg/m3 TWA LT
0001761-71-3	Cyclohexanamine, 4,4'-methylenebis-	ACGIH	

	i i i i i i i i i i i i i i i i i i i		
		Brazil	
0013463-67-7	Titanium dioxide	ACGIH	10 mg/m3 TWA
		Brazil	
0013983-17-0	Wollastonite (Ca(SiO3))	ACGIH	
		Brazil	
0014808-60-7	Quartz	ACGIH	0.025 mg/m3 TWA (respirable fraction)
		Brazil	
0084852-15-3	Phenol, 4-nonyl-, branched	ACGIH	
		Brazil	
0135108-88-2 FORMALDEHYDE, POLYMER WITH	ACGIH		
	BENZENAMINE, HYDROGENAT	Brazil	
	POLYMERCAPTAN (HMRIC number 5081)	ACGIH	
		Brazil	
	F004)	ACGIH	
		Brazil	

Health Data

CAS No.	Ingredient	Source	Value
0000080-05-7	Bisphenol A	NIOSH	
0000090-72-2	2,4,6-Tri(dimethylaminomethyl)phenol	NIOSH	
0000100-51-6	Benzyl alcohol	NIOSH	
0000111-40-0	Diethylene triamine	NIOSH	Skin and respiratory irritation and sensitization
0001330-20-7	Xylenes (o-, m-, p- isomers)	NIOSH	Central nervous system depressant; respiratory and eye irritation
0001761-71-3	Cyclohexanamine, 4,4'-methylenebis-	NIOSH	
0013463-67-7	Titanium dioxide	NIOSH	Lung tumors in animals
0013983-17-0	Wollastonite (Ca(SiO3))	NIOSH	
0014808-60-7	Quartz	NIOSH	Chronic lung disease (silicosis)
0084852-15-3	Phenol, 4-nonyl-, branched	NIOSH	
0135108-88-2	FORMALDEHYDE, POLYMER WITH BENZENAMINE, HYDROGENAT	NIOSH	
Proprietary	POLYMERCAPTAN (HMRIC number 5081)	NIOSH	
TS-KH3755A	MERCAPTANE (HMRIC number 5081)	NIOSH	

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000080-05-7	Bisphenol A	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0000090-72-2	2,4,6-Tri(dimethylaminomethyl)phenol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0000100-51-6	Benzyl alcohol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
0000111-40-0 Diethylene triamine	Diethylene triamine	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
0001330-20-7	Xylenes (o-, m-, p- isomers)	OSHA	Select Carcinogen: No
	NTP	Known: No; Suspected: No	
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;	
0001761-71-3	Cyclohexanamine, 4,4'-methylenebis-	OSHA	Select Carcinogen: No

NVA615 - SDS Revision Number: A0 - SDS Revision Date: 08/05/2009

I		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0013463-67-7	Titanium dioxide	OSHA	Select Carcinogen: Yes
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;
0013983-17-0	Wollastonite (Ca(SiO3))	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
0014808-60-7	Quartz	OSHA	Select Carcinogen: Yes
		NTP	Known: Yes; Suspected: No
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0084852-15-3	Phenol, 4-nonyl-, branched	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0135108-88-2 FORMALDEHYDE, POLYMER WITH	OSHA	Select Carcinogen: No	
	BENZENAMINE, HYDROGENAT	NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Proprietary	POLYMERCAPTAN (HMRIC number 5081)	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Т. КН37554		OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory Protection	Select equipment to provide protection from the ingredients listed in Section 3 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use.	
Eye and face protection	Avoid contact with eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 8 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.	
Skin and body protection	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 8 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.	
Engineering Controls	Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.	
Special Precations	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.	
9. Physical and chemical properties		
Appearance	Yellow Liquid	
Odour threshold	Not Measured	
рН	No Established Limit	
Melting point / freezing	point Not Measured	

Initial boiling point and boiling range	100 (°C) 212 (°F)
Flash Point	66 (°C) 150 (°F)
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	s Lower Explosive Limit: 1
	Upper Explosive Limit: No Established Limit
Vapour pressure (Pa)	Not Measured
Vapor Density	Heavier than air
Specific Gravity	1.62
Solubility in Water	Not Measured
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	No Established Limit Not Measured
VOC %	Refer to the Technical Data Sheet or label where information is available.

10.1. Reactivity

10. Stability and reactivity

Keep away from alkaline or strong strong acid to prevent probable exothermal reactions.

10.2. Chemical stability

This product is stable

10.3. Possibility of hazardous reactions

Dangerous Polymerization will not occur. Heat and vapors in excess can be generated when inproperly used.

10.4. Conditions to avoid

Keep away from alkaline or strong strong acid to prevent probable exothermal reactions.

Strong oxidizing agents

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Can liberate toxic vapors in the welding process. The vapors can produce Dioxide and Monoxide of Carbon. 11. Toxicological information

Acute toxicity

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. No additional information provided for this product. See Sections 3 and 8 for chemical specific data.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr
Quartz - (14808-60-7)	No data available	No data available	No data available	No data available
Wollastonite (Ca(SiO3)) - (13983-17-0)	No data available	No data available	No data available	No data available
Diethylene triamine - (111-40-0)	1,080.00, Rat - Category: 4	1,090.00, Rabbit - Category: 4	No data available	No data available
Benzyl alcohol - (100-51-6)	1,230.00, Rat - Category: 4	2,000.00, Rabbit - Category: 4	No data available	4.178, Rat - Category: 4
Bisphenol A - (80-05-7)	5,000.00, Rat - Category: 5	3,000.00, Rabbit - Category: 5	No data available	No data available
Titanium dioxide - (13463-67-7)	10,000.00, Rat - Category: NA	10,000.00, Rabbit - Category: NA	No data available	6.82, Rat - Category: NA
Xylenes (o-, m-, p- isomers) - (1330-20-7)				

	4,299.00, Rat - Category: 5	1,548.00, Rabbit - Category: 4	20.00, Rat - Category: 4	No data available
Phenol, 4-nonyl-, branched - (84852-15-3)	580.00, Rat - Category: 4	2,031.00, Rabbit - Category: 5	No data available	No data available
Cyclohexanamine, 4,4'-methylenebis (1761-71-3)	1,200.00, Rat - Category: 4	2,001.00, Rabbit - Category: 5	No data available	No data available
FORMALDEHYDE, POLYMER WITH BENZENAMINE, HYDROGENAT - (135108-88-2)	367.00, Rat - Category: 4	1,000.00, Rabbit - Category: 3	No data available	No data available
POLYMERCAPTAN (HMRIC number 5081) - (Proprietary)	No data available	No data available	No data available	No data available
MERCAPTANE (HMRIC number 5081) - (TS-KH3755A)	No data available	No data available	No data available	No data available
2,4,6-Tri(dimethylaminomethyl)phenol - (90-72-2)	1,200.00, Rat - Category: 4	1,280.00, Rat - Category: 4	No data available	No data available

Item	Category	Hazard
Acute Toxicity (mouth)	5	May be harmful if swallowed.
Acute Toxicity (skin)	Not Classified	Not Applicable
Acute Toxicity (inhalation)	Not Classified	Not Applicable
Skin corrosion/irritation	1B	Causes severe skin burns and eye damage.
Eye damage/irritation	1	Causes serious eye damage.
Sensitization (respiratory)		Not Applicable
Sensitization (skin)	1	May cause an allergic skin reaction.
Germ toxicity	Not Classified	Not Applicable
Carcinogenicity		Not Applicable
Reproductive Toxicity	2	Suspected of damaging fertility. Suspected of damaging the unborn child.
Specific target organ systemic toxicity (single exposure)		Not Applicable
Specific target organ systemic Toxicity (repeated exposure)		Not Applicable
Aspiration hazard	Not Classified	Not Applicable

12.1. Toxicity

12. Ecological information

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 199/45/CE and is classified according to the same as for the environment. For details, see sections 8 and 11. There are no data available on the product. Avoid contamination of drains or watercourses

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Quartz - (14808-60-7)	Not Available	Not Available	Not Available
Wollastonite (Ca(SiO3)) - (13983-17-0)	Not Available	Not Available	Not Available
Diethylene triamine - (111-40-0)	1,014.00, Poecilia reticulata	53.50, Daphnia magna	345.60 (96 hr), Pseudokirchneriella subcapitata
Benzyl alcohol - (100-51-6)	10.00, Lepomis macrochirus	55.00, Daphnia magna	700.00 (72 hr), Algae
Bisphenol A - (80-05-7)	4.60, Pimephales promelas	7.75, Daphnia magna	2.73 (96 hr), Pseudokirchneriella subcapitata
Titanium dioxide - (13463-67-7)	1,000.00, Fundulus heteroclitus	5.50, Daphnia magna	5.83 (72 hr), Pseudokirchneriella subcapitata
Xylenes (o-, m-, p- isomers) - (1330-20-7)	3.30, Oncorhynchus	8.50, Palaemonetes pugio	100.00 (72 hr), Chlorococcales

	mykiss		
Phenol, 4-nonyl-, branched - (84852-15-3)	Not Available	Not Available	Not Available
Cyclohexanamine, 4,4'-methylenebis- - (1761-71-3)	46.00, Leuciscus idus	6.84, Daphnia magna	140.00 (72 hr), Algae
FORMALDEHYDE, POLYMER WITH BENZENAMINE, HYDROGENAT - (135108-88-2)	Not Available	Not Available	Not Available
POLYMERCAPTAN (HMRIC number 5081) - (Proprietary)	Not Available	Not Available	0.00 (hr),
MERCAPTANE (HMRIC number 5081) - (TS-KH3755A)	Not Available	Not Available	0.00 (hr),
2,4,6-Tri(dimethylaminomethyl)phenol - (90-72-2)	Not Available	Not Available	Not Available

12.2. Persistence and degradability
No data available
12.3. Bioaccumulative potential
Not Measured
12.4. Mobility in soil
No data available
12.5. Results of PBT and vPvB assessment
This product contains no PBT/vPvB chemicals.
12.6. Other adverse effects
No data available

13.1. Waste treatment methods		
General	Note: Disposal must be in accordance with the federal, state and local regulations.	
Method of treatment and disposal	Product: The treatment and the disposal of the product must in accordance the local legislation.	
	Remaining portions of the product: Residues that will not be used must be discarded in accordance the local legislation. Used packing: Do not reuse the packing. Recycle if appropriate or discard in accordance the local legislation.	
	14. Transport information	

13. Disposal considerations

14.1. UN number14.2. UN proper shipping name

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS: ALIPHATIC AND CYCLOALIPHATIC AMINES)

14.3. Transport hazard class(es)

Domestic Surface Trans	sportation	IMO / IMDG (Ocean Transportation)		
Proper Shipping Name	AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS: ALIPHATIC AND CYCLOALIPHATIC AMINES)	IMDG Proper Shipping Name	AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS: ALIPHATIC AND CYCLOALIPHATIC AMINES)	
Hazard Class	8	IMDG Hazard Class	Class 8, No division Corrosive materials	
UN / NA Number	UN 2735	UN / NA Number	UN 2735	
Packaging Group	111	IMDG Packing Group	o III	
CERCLA/DOT RQ	305 gal. / 4100 lbs.	System Reference Code	259	
Risk Number	80	EMS	F-A,S-B	
		Marine Pollutant	No	

Air Transport (ICAO-ITI / IATA-DGR)

Proper Shipping Name	AMINES, LIQUID, CORROSIVE,	
	N.O.S. (CONTAINS:	
	ALIPHATIC AND	

	CYCLOALIPHATIC AMINES)
Hazard Clas	8
UN / NA Nu	ber UN 2735
Packaging (oup III
14.4. Packing group	III
14.5. Environmental ha	
	Pollutant: No
iniba maine	
14.6. Special precautio	for user
Not Ap	
14.7. Transport in bulk	cording to Annex II of MARPOL73/78 and the IBC Code
Not Ap	licable
	15. Regulatory information
Regulatory Overview	Decreto 2.657, from 3/07/98, regarding the Safety in the Utilization of Chemical
	Products at Work.
	Act # 96.044 of 18/05/88. Regulations of Road Transport of Dangerous Products. Decreto 1.797, of 25/01/1996, Bill of Hazardous Products in the Mercosul range.
	Resolution ANTT # 420, of 12/02/2004: complementary instructions to the Regulation
	of Road Transport of Hazardous Products.
	Decreto 3214 of MTE
	NBR 7500: Identification for the road transport, the handling, the moving and the storage of products.
	NBR 7501: Terminology Transport of Hazardous Products.
	NBR 7503: Road transport of hazardous products emergency form and envelope
	eatures, dimensions and filling.
	NBR 9735: Set of equipments for Emergency in the Road Transport of Hazardous Products Procedures. All ingredients of this product are listed on the TSCA (Toxic
	Substance Control Act) Inventory or are not required to be listed on the TSCA
	nventory.
WHMIS Classification	33 D2A E

16. Other information

The information contained in this Material Safety Data Sheet (MSDS) has the purpose of being a description of the product safety requirements, which were obtained from the literature and current legislation specific about raw materials/ingredients. Thus, the accuracy of the data contained herein is not, expressly or implicitly, assured by the Manufacturer. The product shall not be used for purposes other than the ones specified by the Manufacturer. The user is always liable for taking all required measures to comply with the provisions in this MSDS, as well as with the requirements expressed in the regulations and effective legislation.

Bibliographic references:

- Council Directive 67/548/EEC of June 27, 1967.

- Work and Job department clause # 3.214 of June 08, 1978.

- ABNT NBR 14725 (parts I,II,III and IV) Chemical products Information on safety, health and environment.

Specific use: product meant only for professional use, check the product data sheet.

CAS: Chemical Abstract Service register number It s a register number indicated by the American Chemical Society, which identifies only a specific chemical component.

NVA615_A0

End of Document



Your attention is drawn to the disclaimer on the Product Data Sheet which with this Safety Data Sheet and the package labelling comprise an integral information system about this product. Copies of the Product Data Sheet are available from International Paint on request or from our Internet sites : www.yachtpaint.com , www.international-marine.com, www.international-pc.com