# **SAFETY DATA SHEET**

# **INTERCHAR 1160 WHITE**

# **Section 1. Identification**

### INTERCHAR 1160 WHITE **HFA160**

: GHS product identifier

: Product code

Identified uses	
Professional application of coatings and inks	
Uses advised against	Reason
All Other Uses	
International Farg AB Holmedalen 3 Aspereds Industriomrade SE-424 22 Angered Sweden	: Supplier's details
Tel: +46 (0) 31 928500 Fax: +46 (0) 31 928530	
+46 8 33 12 31	: Emergency telephone number (with hours of operation)
+966 55 388 0087	: <u>National advisory body/</u> <u>Poison Centre (For use only</u> <u>by licensed medical</u> <u>professionals.)</u>
sdsfellinguk@akzonobel.com	: e-mail address of person responsible for this SDS
Section 2. Hazards identification	
TOXIC TO REPRODUCTION (Unborn child) - Category 1B	: Classification of the substance or mixture
GHS label elements	: Hazard pictograms
Danger	: Signal word
May damage the unborn child. <u>Precautionary statements</u>	: Hazard statements
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing.	: Prevention
IF exposed or concerned: Get medical attention.	: Response
Store locked up.	: Storage
Dispose of contents and container in accordance with all local, regional, national and international regulations.	: Disposal
Wear appropriate respirator when ventilation is inadequate.	: Supplemental label elements
Date of issue/Date of revision : 12/06/2018	AkzoNobel



Version : 4

# Section 2. Hazards identification

None known.

# : Other hazards which do not result in classification

# Section 3. Composition/information on ingredients

### Mixture

: Substance/mixture

Classification	CAS number	% by weight	Ingredient name
Eye Dam. 1, H318	67968-63-2	≤0.3	9(or 10)-sulphooctadecanoic acid, potassium salt
Repr. 1B, H360 (Unborn child) (oral) Aquatic Chronic 3, H412			
Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Acute 1, H400	1336-21-6	<0.25	ammonia

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

### Description of necessary first aid measures

:	Eye contact
:	Inhalation
:	Skin contact
:	Ingestion
:	Eye contact
	Inhalation
	: : :



## Section 4. First aid measures

No known significant effects or critical hazards.	: Skin contact
No known significant effects or critical hazards.	: Ingestion
Over-exposure signs/symptoms	
No specific data.	: Eye contact
Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations	: Inhalation
Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations	: Skin contact
Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations	: Ingestion

### Indication of immediate medical attention and special treatment needed, if necessary

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	:	Notes to physician
No specific treatment.	:	Specific treatments
No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing	:	Protection of first-aiders

### See toxicological information (Section 11)

# Section 5. Firefighting measures

thoroughly with water before removing it, or wear gloves.

### Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

None known.

In a fire or if heated, a pressure increase will occur and the container may burst.

- Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
- Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

- : Suitable extinguishing media
- : Unsuitable extinguishing media
- : Specific hazards arising from the chemical
- : Hazardous thermal decomposition products
- : Special protective actions for fire-fighters
- : Special protective equipment for fire-fighters



# Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	:	For non-emergency personnel
If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	:	For emergency responders
Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	:	Environmental precautions
Methods and material for containment and cleaning up		
Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	:	Small spill
Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	:	Large spill

# Section 7. Handling and storage

### Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Avoid exposure - : Protective measures obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

**X**International

- : Advice on general occupational hygiene
- : Conditions for safe storage, including any incompatibilities

4/10



# Section 8. Exposure controls/personal protection

### **Control parameters**

### **Occupational exposure limits**

None.

If user operations generate dust, fumes, gas, vapour or mist, use process : Appropriate engineering enclosures, local exhaust ventilation or other engineering controls to keep worker controls exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure : Environmental exposure they comply with the requirements of environmental protection legislation. In some controls cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Individual protection measures Wash hands, forearms and face thoroughly after handling chemical products, before : Hygiene measures eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk : Eye/face protection assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Skin protection Use chemical resistant gloves classified under Standard EN 374: Protective gloves : Hand protection against chemicals and micro-organisms. Recommended: Viton® or Nitrile gloves. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/ puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred. Personal protective equipment for the body should be selected based on the task : Body protection being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be : Other skin protection selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Use a properly fitted, air-purifying or air-fed respirator complying with an approved : Respiratory protection standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and

the safe working limits of the selected respirator.

5/10

# Section 9. Physical and chemical properties

Appearance	
Liquid.	: Physical state
White.	: Colour
Ammonia.	: Odour
Not available.	: Odour threshold
Not applicable.	: pH
Not available.	: Melting point
Lowest known value: 100°C (212°F) (water).	: Boiling point
Closed cup: 101°C (213.8°F)	: Flash point
Not available.	: Evaporation rate
Not available.	: Flammability (solid, gas)
Not available.	: Lower and upper explosive (flammable) limits
Not available.	: Vapour pressure
Not available.	: Vapour density
1.43	: Relative density
Soluble in the following materials: cold water.	: Solubility
Not available.	: Partition coefficient: n- octanol/water
Not available.	: Auto-ignition temperature
Not available.	: Decomposition temperature
Kinematic (room temperature): 350 mm <sup>2</sup> /s (350 cSt)	: Viscosity
Section 10. Stability and reactivity	

No specific test data related to reactivity available for this product or its ingredients.	: Reactivity
The product is stable.	: Chemical stability
Under normal conditions of storage and use, hazardous reactions will not occur.	: Possibility of hazardous reactions
No specific data.	: Conditions to avoid
No specific data.	: Incompatible materials
Under normal conditions of storage and use, hazardous decomposition products should not be produced.	: Hazardous decomposition products
Section 11. Toxicological information	

### Information on toxicological effects

### Acute toxicity

Exposure	Dose	Species	Result	Product/ingredient name
-	350 mg/kg	Rat	LD50 Oral	ammonia

### Irritation/Corrosion

# X.International.

# Section 11. Toxicological information

Observation	Exposure	Score	Species	Result	Product/ingredient name
-	250 Micrograms	-	Rabbit	Eyes - Severe irritant	ammonia
	0.5 minutes 1 milligrams	-	Rabbit	Eyes - Severe irritant	

### **Sensitisation**

Not available.

### **Mutagenicity**

Not available.

### **Carcinogenicity**

Not available.

### **Reproductive toxicity**

Not available.

### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Target organs	Route of exposure	Category	Name
Respiratory tract irritation	Not applicable.	Category 3	ammonia

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

Not available.	: Information on likely routes of exposure
Potential acute health effects	
No known significant effects or critical hazards.	: Eye contact
Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.	: Inhalation
No known significant effects or critical hazards.	: Skin contact
No known significant effects or critical hazards.	: Ingestion
Symptoms related to the physical, chemical and toxicological characteristics	
No specific data.	: Eye contact
Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations	: Inhalation
Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations	: Skin contact
Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations	: Ingestion
Date of issue/Date of revision: 12/06/2018Version: 47/10	AkzoNobel

# Section 11. Toxicological information

Delayed and immediate effects as well as chronic effects from short and long-term expos				
Short term exposure				
Not available.	: Potential ir effects			
Not available.	: Potential d			
Long term exposure				
Not available.	: Potential ir effects			
Not available.	: Potential d			
Potential chronic health effects				
Not available.				
No known significant effects or critical hazards.	: General			
No known significant effects or critical hazards.	: Carcinoger			
No known significant effects or critical hazards.	: Mutagenici			
May damage the unborn child.	: Teratogeni			
No known significant effects or critical hazards	· Developme			

No known significant effects or critical hazards. No known significant effects or critical hazards.

### Numerical measures of toxicity Acute toxicity estimates

Not available.

# mmediate

- delayed effects
- immediate
- delayed effects
- nicity
- city
- nicity
- : Developmental effects
- : Fertility effects

# Section 12. Ecological information

### **Toxicity**

Exposure	Species	Result	Product/ingredient name
96 hours	Fish - Gambusia affinis - Adult	Acute LC50 15000 µg/l Fresh water	ammonia

### Persistence and degradability

Not available.

### **Bioaccumulative potential**

Not available.

### Mobility in soil

Not available.

No known significant effects or critical hazards.

- : Soil/water partition coefficient (Koc)
- : Other adverse effects



# Section 13. Disposal considerations

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

ΙΑΤΑ	IMDG	UN	
Not regulated.	Not regulated.	Not regulated.	UN number
-	-	-	UN proper shipping name
-	-	-	Transport hazard class(es)
-	-	-	Packing group
No.	No.	No.	Environmental hazards
-	-	-	Additional information

Not applicable.

Not available.

: IMDG Code Segregation group

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. **Special precautions for user** 

: Transport in bulk according to Annex II of Marpol and the IBC Code

# Section 15. Regulatory information

No known specific national and/or regional regulations applicable to this product (including its ingredients).

Safety, health and environmental regulations specific for the product

ion

**X**International

: Disposal methods

9/10

# Section 16. Other information

#### **Justification**

Justification	Classification	
Calculation method	Repr. 1B, H360 (Unborn child)	
History		
12/06/2018	: Date of printing	
12/06/2018	<ul> <li>Date of issue/Date of revision</li> </ul>	
01/06/2017	: Date of previous issue	
4	: Version	
ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coeffici MARPOL = International Convention for the Prevention of 1973 as modified by the Protocol of 1978. ("Marpol" = ma UN = United Nations	ent f Pollution From Ships,	
Not available.	: References	
Indicates information that has changed from previou	sly issued version.	

### Notice to reader

IMPORTANT NOTE: the information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates.

Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

MANUFACTURER'S DISCLAIMER: the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage, use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Unless we have agreed to the contrary, all products are supplied by us subject to our standard terms and conditions of business, which include limitations of liability. Please make sure to refer to these and / or the relevant agreement which you have with AkzoNobel (or its affiliate, as the case may be). © AkzoNobel

10/10

