Material Safety Data Sheet

DEVFIL 145 PART B

Bulk Sales Reference No.: MSDS Revision Date: MSDS Revision Number:

Sales Order: {SalesOrd} NDA215 03/19/2012 A0-2

# X.International.

1. Identification of the preparation and company		
Product Identity	DEVFIL 145 PART B	
Bulk Sales Reference No.	NDA215	
Company Name	International Paint LLC	
	6001 Antoine Drive	
	Houston Texas 77091	
Emergency		
CHEMTREC (USA)	(800) 424–9300	
International Paint	(713) 682–1711	
Poison Control Center	(800) 854–6813	
Customer Service		
International Paint	(800) 589–1267	
Fax No.	(800) 631–7481	

2. Hazard identification of the product



Warning

	vvarm	
GHS Classification;	1	
Item	Category	Hazard
Flammability	4	Combustible liquid
Acute Toxicity (mouth)	Not classified	Not applicable
Acute Toxicity (skin)	Not classified	Not applicable
Acute Toxicity (inhalation)	Not classified	Not applicable
Acute Toxicity (ingestion)	Not classified	Not applicable
Skin corrosion/irritation	Not classified	Not applicable
Eye damage/irritation	Not classified	Not applicable
Sensitization (respiratory)	Not classified	Not applicable
Sensitization (skin)	1	May cause allergic reaction.
Germ toxicity	Not classified	Not applicable
Specific target organ systemic toxicity (single exposure)	1	Not applicable
	2	Not applicable
	3	Not applicable
Specific target organ systemic Toxicity (repeated exposure)	1	Not applicable
	2	Not applicable
Aspiration hazard	Not classified	Not applicable
Harmfulness to aquatic Environment (acute)	3	Harmful to aquatic life.
Harmfulness to aquatic Environment (long term effect)	4	May cause harm to aquatic life with long lasting effects

Carcinogenicity	Not classified	Not applicable
Reproductive Toxicity	Not classified	Not applicable
Organic Peroxide	Not classified	Not applicable

Safety Phrases:

S24: Avoid contact with skin.

S28: After contact with skin, wash immediately with plenty of soap and water.

S37: Wear suitable gloves.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S51: Use only in well-ventilated areas.

S61: Avoid release to the environment. Refer to special instructions/Safety data sheets.

Overview	NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid contact with eyes, skin and clothing.				
Inhalation	Harmful if inhaled. Causes nose and throat irritation. Vapors may affect the brain or nervous system causing dizziness, headache or nausea.				
Eyes	Causes severe eye irritation. Avoid contact with eyes.				
Skin	Causes skin irritation. May cause allergic skin reaction. May be harmful if absorbed through the skin.				
Ingestion	Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.				
Chronic effects HMIS Rating	Health: 3 Flammability: 1 Reactivity: 0 PPE: X				

3. Composition/information on ingredients			
Ingredient	CAS No.	Percent	
2,4,6-Tri(dimethylaminomethyl)phenol	0000090-72-2	1.0 – 10	
Benzyl alcohol	0000100-51-6	10 – 25	
Triethylene tetramine	0000112-24-3	1.0 – 10	
Petroleum naphtha	0064742-95-6	1.0 – 10	
FATTY ACIDS, C18–UNSATD., DIMERS, REAC PRODUCT	CTION 0068410-23-1	25 – 50	

	4. First aid measures	
General	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.	
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.	
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.	
Skin	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.	
Ingestion	If swallowed, immediately contact Poison Control Center at 1–800–854–6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.	
	5. Fire-fighting measures	
Flash Point	F: 200 C: 93	

Lower Explosive Limit (LEL) ERG Guide No.

1 (%vol in air) at Normal Atmospheric Temp and Pressure Not Determined

	6. Accidental release measures	
Spill Response Procedures	ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only non-sparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use	
Public Safety	non–sparking tools to collect absorbed material. CALL CHEMTREC at (800)–424–9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters (1000 feet).	
ERG Guide No. Not Determined		
	7. Handling and storage	
Storage Temperature	Store between 40–100F (4–38C).	
Handling and Storage Precautions	Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may cause flash fire or ignite explosively. Prevent build–up of vapors by opening all windows and doors to achieve cross–ventilation. Avoid contact with eyes and clothing. Avoid prolonged or repeated contact with skin. Close container after each use. Wash thoroughly after handling.	

8. Exposure controls and personal protection

CAS No.	Ingredient	Source	Value
000090-72-2	2,4,6–Tri(dimethylaminomethyl)phenol	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
		OHSA, CAN	No Established Limit
		Mexico	No Established Limit
		Brazil	No Established Limit
0000100-51-6	Benzyl alcohol	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
		OHSA, CAN	No Established Limit
		Mexico	No Established Limit
		Brazil	No Established Limit
0000112-24-3	Triethylene tetramine	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
		OHSA, CAN	0.5 ppm TWA; 3 mg/m3 TWA
		Mexico	No Established Limit
		Brazil	No Established Limit
0064742–95–6	Petroleum naphtha	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
			No Established Limit

		OHSA, CAN	
		Mexico	No Established Limit
		Brazil	No Established Limit
0068410-23-1	FATTY ACIDS, C18–UNSATD.,	OSHA	No Established Limit
	DIMERS, REACTION PRODUCT	ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
		OHSA, CAN	No Established Limit
		Mexico	No Established Limit
		Brazil	No Established Limit

	Health Da	ta	
CAS No.	Ingredient	Source	Value
0000090-72-2	2,4,6–Tri(dimethylaminomethyl)phenol	NIOSH	No Established Limit
0000100-51-6	Benzyl alcohol	NIOSH	No Established Limit
0000112-24-3	Triethylene tetramine	NIOSH	No Established Limit
0064742-95-6	Petroleum naphtha	NIOSH	No Established Limit
	FATTY ACIDS, C18–UNSATD., DIMERS, REACTION PRODUCT	NIOSH	No Established Limit

	Carcino	gen Data	1
CAS No.	Ingredient	Source	Value
0000090-72-2	2,4,6–Tri(dimethylaminomethyl)phenol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0000100-51-6	Benzyl alcohol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0000112–24–3	,	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0064742-95-6	Petroleum naphtha	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0068410-23-1	DIMERO DEMOTION DRODUOT	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

Respiratory

Select equipment to provide protection from the ingredients listed in Section 3 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1–800–243–4630, in Canada call 1–800–267–4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.

Eyes Avoid contact with eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.

Skin	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Engineering Controls	Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.
Other Work Practices	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

9. Physical and chemical properties

Physical State	Liquid Coloured		
pН	9		
Specific Gravity	1.03		
Boiling Point F	300		
Vapor Density	Heavier than air		
VOC % Refer to the Technical Data Sheet or label where information is a			
Evaporation Rate	Slower than ether		
	10. Stability and reactivity		

General	This product is stable and hazardous polymerization will not occur. Not sensitive to mechanical impact. Excessive heat and fumes generation can occur if improperly handled.
Incompatible Materials	Strong oxidizing agents.
Hazardous Decompostion	May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and Carbon Monoxide.

11. Toxicological information							
Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr				
2,4,6–Tri(dimethylaminomethyl)phenol – (0000090–72–2)	1,000.00, Rat – Category: 4	1,280.00, Rat – Category: 4					
Benzyl alcohol – (0000100–51–6)	1,230.00, Rat – Category: 4	2,000.00, Rabbit - Category: 4	8.80, Rat – Category: 3				
Triethylene tetramine – (0000112–24–3)	2,500.00, Rat – Category: 5	550.00, Rabbit – Category: 3					
Petroleum naphtha – (0064742–95–6)	8,400.00, Rat – Category: NA	2,000.00, Rabbit - Category: 4	5.20, Rat – Category: 3				
FATTY ACIDS, C18–UNSATD., DIMERS, REACTION PRODUCT – (0068410–23–1)							

General

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. No additional information provided for this product. See Sections 8 and 11 for chemical specific data.

12. Ecological information

Not Defined

No additional information provided for this product. See Sections 8 and 11 for chemical specific data.

13. Disposal considerations

Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).

14. Transport information							
DOT (Domestic Si DOT Proper Shipping	urface Transportation)	IMO / IMDG (Oc IMDG Proper Shipping	IMO / IMDG (Ocean Transportation)				
Name		Name					
DOT Hazard Class		IMDG Hazard Class					
UN / NA Number		UN / NA Number					
DOT Packing Group							
CERCLA/DOT RQ	Not Applicable gal. /	IMDG Packing Group System Reference	1065				
CENCLA/DOT NO	Not Applicable lbs.	Code	1005				
15. Regulatory information							
Regulatory Overview	tegulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are liste on the TSCA (Toxic Substance Control Act) Inventory or are not required to listed on the TSCA Inventory.						
WHMIS Classification	B3:D2B	,					
DOT Marine Pollutants (No Product Ing							
DOT Severe Marine Po (No Product Ing							
EPCRA 311/312 Chen (No Product Ing	nicals and RQs (>.1%) : redients Listed)						
EPCRA 302 Extremely (No Product Ing							
EPCRA 313 Toxic Che (No Product Ingi							
Mass RTK Substances	s (>1%) :						
Benzyl a	lcohol						
Triethyle	ne tetramine						
Mass Extraordinarily H (No Product Ing							
Penn RTK Substances	s (>1%) :						
Benzyl a	lcohol						
,	ne tetramine						
,	us Substances (>.01%) :						
Rhode Island Hazardo	us Substances (>.1%) : redients Listed)						
RCRA Status: (No Product Ingi							
N.J. RTK Substances							
	ne tetramine						
	s Substances (>.01%) :						
	ne tetramine						
N.J. Env. Hazardous S (No Product Ing	Substances (>.1%) :						
Proposition 65 – Carci (No Product Ing	nogens (>0%):						
	le Repro Toxins (>0%):						
Proposition 65 – Male (No Product Ing	Repro Toxins (>0%):						
	lopmental Toxins (>0%):						
Risk Phrases:							

R43: May cause sensitisation by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.