

Suncorp Stadium

Track record 2001

Location of project
Brisbane, Australia

Products/system used
System 1
Interzinc® 42, Intergard® 475HS,
Interfine® 629LG

System 2
Interzinc 42, Intergard 475HS

Project owner
Queensland Government

ISO12944 environment
C3

Total area
123,000m² (1,323,961ft²)



Parc y Scarlets Stadium

Track record 2009

Location of project

Wales

Products/system used

Intercure® 200HS, Interfine® 979

Project owner

Carmarthenshire County Council

Applicator

Rowecord Engineering

ISO12944 environment

C3

Total volume

100,000 litres (26,417 gals)

Project size

1,500 tons



Moses Mabhida Stadium

Track record 2009

Location of project

Durban, South Africa

Products/system used

Interzinc® 52, Intergard® 475HS, Interzinc 22, Interthane® 990, Interfine® 878

Project owner

Durban Municipality

Applicator

Wältermann (Germany),
Rand Sandblasting Projects (South Africa)

ISO12944 environment

C5-M

Total volume

70,000 litres (18,492 gals)

Total area

180,000m² (1,937,504ft²)



MK Dons Stadium

Track record 2005

Location of project

Milton Keynes, UK

ISO12944 environment

C3

Total area

49,000m² (527,400ft²)

Products/system used

Intercure® 200HS, Interfine® 878

Total volume

12,700 litres (3,300 gals)



Our Fire Protection on Stadia



Project name/title	Country	Project location	Interchar volume	Country of supply
AMI Stadium Eastern Stand Roof Beams	New Zealand	Christchurch	3000	New Zealand
AMI Stadium Eastern Stand Stairways	New Zealand	Christchurch	3500	New Zealand
Cardiff City Football Club	United Kingdom	Cardiff, South Wales	9000	United Kingdom
Centro Comercial y de Ocio, Plaza Mayor	Spain	Xativa	8000	Spain
City of Winnipeg/Red River Community Centre/Winnipeg MB	Canada	Winnipeg	3000	Canada
Eden Park	New Zealand	Auckland	20000	New Zealand
Leisure Centre, Hayes	United Kingdom	Hayes, Middx	3000	United Kingdom
Llanelli Scarlets RFC	United Kingdom	Llanelli, West Wales	12000	United Kingdom
MCG Concourse Extension	Australia	Melbourne	20000	Australia
Multipurpose Sports Venues - Delhi Commonwealth Games 2010	India	Delhi	4000	India
Polideportivo Alcazar de San Juan	Spain	Alcazar de San Juan	10000	Spain
Polideportivo de Entrevias	Spain	Alcorcon	1500	Spain
Queens Family Courthouse	USA	New York	3000	Canada
Townsville Civic Theatre Extension	Australia	Townsville	400	Australia
Zwembad Wassenaar	The Netherlands	Wassenaar	3000	The Netherlands

Etihad Docklands Stadium

Track record 2006

Location of project

Melbourne, Australia

Products/system used

Interzinc® 315, Intercure® 420, Interthane® 990

Project owner

Melbourne Stadiums Ltd

Applicator

DH Corrosion

Fabricator

Alfasi

ISO12944 environment

C3

Total area

30,000m² (322,917ft²)



Etihad Stadium

Track record 2002

Location of project

Manchester, UK

Products/system used

Interzinc® 52HS, Intercure® 384, Interlac® 658

Fabricator


Watson Steel Ltd.

ISO12944 environment

C3

Total area

40,000m² (430,500ft²)



BayArena

Bayer Leverkusen Stadium

Year of project
2008

Location of project
Germany

Products/system used
Intercure® 200
Intercure® 99



Maintenance of Stadium Negeri Sarawak

Track record 2012

Location of project

Malaysia

Project owner

Sarawak State Stadium Corporation

ISO12944 environment

C3

Products/system used

Intergard[®] 251, Interchar[®] 973,
Interthane[®] 990, Interthane 990

Applicator/Fabricator

SKH Sdn Bhd

Project size

80m² (861ft²)



Maintenance of Stadium Negeri Sarawak (Exposed Area) Track record 2011

Location of project

Malaysia

Products/system used

Interseal® 670HS, Interseal® 670HS,
Interthane® 990

Project owner

Sarawak State Stadium Corporation

Applicator

Maxwell Solution & Construction

ISO12944 environment

C3

Project size

10,000m² (107,639ft²)



Metricon Stadium

Track record 2009

Location of project

Gold Coast, Australia

Products/system used

Area 1 - Exterior steelwork
Interzinc® 52
Interfine® 979

Area 2 - Internal steelwork

Intergard® 251
Interthane® 870

Project owner

Stadiums Queensland

Applicator

Tranzblast

Builder

Watpac

Designer/Architect

Populous

Consulting engineer

Arup

Fabricator

Beenleigh Steel

ISO12944 environment

C3

Project size

26,000m² (279,862ft²)



Uyo Stadium

Track record 2014

Location of project

Uyo, Nigeria

Products/system used

2 painting systems:

Interzinc® 52, Intergard® 475HS,
Interthane® 990

Friction areas: Interzinc® 22

Touch up:

Interseal® 670HS, Interplus® 356,
Interthane® 990

Project owner

AKWA IBOM State Government

Contractor

Julius Berger NIG Plc / Bilfinger

Surface preparation

Abrasive blasting to Sa 2.5

Total area

40,000m² (430,556ft²)



Eden Park Stadium

Track record 2012

Location of project

Auckland, New Zealand

Applicator

Gritblast, Napier Sandblasting

Fabricator

Jensen's Steel, Graysons Engineering,
Culham Engineering, Eastbridge
Engineering

Products/system used

External Exposed Steelwork:
Interzinc® 42, Intergard® 475HS,
Interfine® 878

Internal Steelwork:

Interzinc® 42, Intergard® 475HS,
Interthane® 990

ISO12944 environment

C3

Project size

30,000m² (322,917ft²)



Adelaide Oval

Track record 2014

Location of project

Australia

Products/system used

Interzinc® 52 @ 75µm (3 mils) and
Interfine® 979 'stadium white'
finish @ 150µm (6 mils)

Project owner

SACA

Main contractor

Samaras

ISO12944 environment

C3

Project size

16,000m² (172,223ft²)



The Hagley Oval Pavilion

Track record 2014

Location of project

Christchurch, New Zealand

Surface preparation

Abrasive blast Sa2.5

Project owner

Christchurch City Council

Products/system used

Exposed exterior steelwork
Intergard® 251, Intercure® 420,
Interthane® 870

Intumescent

Intergard® 251,
Interchar® 2060

Applicator

Maverick Sandblasting

Intumescent applicator

PJF Ltd

Fabricator

Pegasus Engineering

ISO12944 environment

C3 Medium

Project size

3,000m² (32,292ft²)



Antalya Stadium

Track record 2015

Location of project

Turkey

Project owner

TOKI

ISO12944 environment

C4 Low

Products/system used

Intergard® 2510 @ 120 micron (5 mils)


Interthane® 990 @ 80 micron (3 mils)

Applicator/Fabricator

Tamkoclar Metal

Project size

40,000m² (430,556ft²)



Konya Stadium

Track record 2014

Location of project

Turkey

Products/system used

Intercure® 200HS @ 120 micron (5 mils)

Interthane® 990 @ 80 micron (3 mils)

Project owner

TOKI

Applicator

Kemipaz

Fabricator

Biryapi

ISO12944 environment

C3 High

Project size

87,500m² (941,842ft²)

