# NCA243\_A0

# Material Safety Data Sheet CEILCOTE SF COROCRETE 210 TILE RED PART A

Sales

Order: {SalesOrd}

Bulk Sales Reference No.: NCA243 MSDS Revision Date: 05/16/2011 MSDS Revision Number: A0-2



## 1. Identification of the preparation and company

Product Identity CEILCOTE SF COROCRETE 210 TILE RED PART

Α

Bulk Sales Reference No. NCA243

Company Name International Paint LLC

6001 Antoine Drive Houston Texas 77091

Emergency

 CHEMTREC (USA)
 (800) 424–9300

 International Paint
 (713) 682–1711

 Poison Control Center
 (800) 854–6813

**Customer Service** 

International Paint (800) 589–1267 Fax No. (800) 631–7481

## 2. Hazard identification of the product



Danger

# GHS Classification;

GHS Classification;			
Item	Category	Hazard	
Flammability	Not classified	Not applicable	
Acute Toxicity (mouth)	Not classified	Not applicable	
Acute Toxicity (skin)	Not classified	Not applicable	
Acute Toxicity (inhalation)	Not classified	Not applicable	
Acute Toxicity (ingestion)	Not classified	Not applicable	
Skin corrosion/irritation	2	Causes skin irritation	
Eye damage/irritation	2A	Causes serious eye irritation	
Sensitization (respiratory)	Not classified	Not applicable	
Sensitization (skin)	1	May cause allergic reaction.	
Germ toxicity	Not classified	Not applicable	
Specific target organ systemic toxicity (single exposure)	1	Not applicable	
	2	Not applicable	
	3	narcotic effects, respiratory tract irritation	
Specific target organ systemic Toxicity (repeated exposure)	1	respiratory system	
	2	Not applicable	
Aspiration hazard	Not classified	Not applicable	
Harmfulness to aquatic Environment (acute)	Not classified	Not applicable	
	Not classified	Not applicable	

Harmfulness to aquatic Environment (long term effect)		
Carcinogenicity	1A	May cause cancer
Reproductive Toxicity	Not classified	Not applicable
Organic Peroxide	Not classified	Not applicable

#### Safety Phrases:

S1: Keep locked up.

S23: Do not breathe vapor/spray.

S24: Avoid contact with skin.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S27: Take off immediately all contaminated clothing.

S28: After contact with skin, wash immediately with plenty of soap and water.

S37: Wear suitable gloves.

S39: Wear eye/face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S51: Use only in well-ventilated areas.

S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Overview NOTICE: Reports have associated repeated and prolonged occupational

overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be

harmful or fatal. Avoid contact with eyes, skin and clothing.

Inhalation Harmful if inhaled. Causes nose and throat irritation. Vapors may affect the brain or

nervous system causing dizziness, headache or nausea.

Eyes Risk of serious damage to eyes. Do not get in eyes. Protective equipment should be

selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site–specific condition of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thouroughly cleaned, or discarded after each use.

Skin Causes skin irritation. May cause delayed skin irritation. May be harmful if absorbed

through the skin.

Ingestion Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or

Irowsiness.

Chronic effects Possible cancer hazard. Contains an ingredient which may cause cancer based on

animal data (See Section 2 and Section 15 for each ingredient). Risk of cancer

depends on duration and level of exposure.

HMIS Rating Health: 1 Flammability: 1 Reactivity: 0 PPE: X

## 3. Composition/information on ingredients

Ingredient	CAS No.	Percent
Hexylene glycol	0000107-41-5	1.0 – 10
Iron oxide	0001309-37-1	1.0 – 10
Reaction product of epichlorohydrin & bisphenol A	0025085-99-8	50 – 75
Oxirane, mono[(C12–14–alkyloxy)methyl] derivs.	0068609-97-2	10 – 25

## 4. First aid measures

General Remove contaminated clothing and shoes. Get medical attention

immediately. Wash clothing before reuse. Thoroughly clean or destroy

contaminated shoes.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Get medical attention immediately.

Eyes In case of contact, immediately flush eyes with plenty of water for at least

15 minutes. Get medical attention immediately.

Skin In case of contact, immediately flush skin with soap and plenty of water. Get

medical attention immediately.

Ingestion

If swallowed, immediately contact Poison Control Center at 1–800–854–6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.

## 5. Fire-fighting measures

Flash Point F: 212 C: 100

Lower Explosive Limit (LEL) .01 (%vol in air) at Normal Atmospheric Temp and Pressure

ERG Guide No. 159

## 6. Accidental release measures

Spill Response ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Stop leak if you can

do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. LARGE SPILLS: Dike far ahead of liquid spill to contain

released material and runoff from fire control.

Public Safety CALL CHEMTREC at (800)–424–9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep

unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed

spaces before entering.

ERG Guide No. 159

## 7. Handling and storage

Storage Temperature Handling and Storage

Precautions

Store between 40-100F (4-38C).

Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may cause flash fire or ignite explosively. Prevent build—up of vapors by opening all windows and doors to achieve cross—ventilation. Do not get in eyes, on skin or clothing. Close container after each use. Wash thoroughly after

handling.

## 8. Exposure controls and personal protection

## Exposure

CAS No.	Ingredient	Source	Value	
0000107-41-5	, ,,	OSHA	25 ppm Ceiling; 125 mg/m3 Ceiling	
		ACGIH	25 ppm Ceiling	
		NIOSH	25 ppm Ceiling; 125 mg/m3 Ceiling	
		Supplier	No Established Limit	
		OHSA, CAN	25 ppm Ceiling	
		Mexico	No Established Limit	
		Brazil	No Established Limit	
0001309-37-1 Iron oxide		OSHA	10 mg/m3 TWA (fume)	
		ACGIH	5 mg/m3 TWA (respirable fraction)	
		NIOSH	5 mg/m3 TWA (dust and fume, as Fe)2500 mg/m3 IDLH (dust and fume, as Fe)	
		Supplier	No Established Limit	
		OHSA, CAN	5 mg/m3 TWA (respirable)	
		Mexico	5 mg/m3 TWA10 mg/m3 STEL (as Fe)	
		Brazil	No Established Limit	
0025085-99-8	Reaction product of	OSHA	No Established Limit	
	epichlorohydrin & bisphenol A	ACGIH	No Established Limit	

		NIOSH	No Established Limit
		Supplier	No Established Limit
		OHSA, CAN	No Established Limit
	Mexico	No Established Limit	
		Brazil	No Established Limit
0068609–97–2 Oxirane, mono[(C12–14–alkyloxy)methyl] derivs.	Oxirane,	OSHA	No Established Limit
	ACGIH	No Established Limit	
	NIOSH	No Established Limit	
	Supplier	No Established Limit	
		OHSA, CAN	No Established Limit
		Mexico	No Established Limit
	Brazil	No Established Limit	

#### Health Data

CAS No.	Ingredient	Source	Value
0000107-41-5	Hexylene glycol	NIOSH	CNS depression; eye skin
0001309–37–1	Iron oxide		Benign pneumoconiosis termed siderosis
	Reaction product of epichlorohydrin & bisphenol A	NIOSH	No Established Limit
	Oxirane, mono[(C12–14–alkyloxy)methyl] derivs.	NIOSH	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000107-41-5	Hexylene glycol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
			Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0001309-37-1	Iron oxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
			Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
0025085-99-8	Reaction product of epichlorohydrin & bisphenol A	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
			Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0068609-97-2		OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

## Respiratory

Select equipment to provide protection from the ingredients listed in Section 3 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1–800–243–4630, in Canada call 1–800–267–4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.

Eyes

Do not get in eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site–specific condition of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thouroughly cleaned, or discarded after each use. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site–specific conditions of use, safety glasses,

chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.

Protective equipment should be selected to provide protection from exposure to the

chemicals listed in Section 3 of this document. Depending on the site–specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded

after each use.

Engineering Controls Prevent build-up of vapors by opening all windows and doors to achieve

cross-ventilation.

immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of

soap and water.

## 9. Physical and chemical properties

Physical State Liquid Coloured

pH No Established Limit Specific Gravity 1.16

Boiling Point F 220

Skin

Vapor Density Heavier than air

VOC % Refer to the Technical Data Sheet or label where information is available.

Evaporation Rate Slower than ether

#### 10. Stability and reactivity

General This product is stable and hazardous polymerization will not occur. Not sensitive to

mechanical impact. Excessive heat and fumes generation can occur if improperly

handled.

Incompatible Materials Strong oxidizing agents.

Hazardous May produce hazardous fumes when heated to decomposition as in welding. Fumes

Decompostion may produce Carbon Dioxide and Carbon Monoxide.

## 11. Toxicological information

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr
Hexylene glycol – (0000107–41–5)	3,692.00, Rat – Category: 5		
Iron oxide – (0001309–37–1)	10,000.00, Rat – Category: NA		
Reaction product of epichlorohydrin & bisphenol A – (0025085–99–8)			
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs (0068609-97-2)	17,100.00, Rat – Category: NA		

General NOTICE: Reports have associated repeated and prolonged occupational

overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. No additional information provided for this product. See Sections 8

and 11 for chemical specific data.

#### 12. Ecological information

No additional information provided for this product. See Sections 8 and 11 for chemical specific data.

## 13. Disposal considerations

Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).

#### 14. Transport information

DOT (Domestic Surface Transportation) IMO / IMDG (Ocean Transportation) DOT Proper Shipping PAINT OR PAINT IMDG Proper Shipping PAINT OR PAINT RELATED MATERIAL, Name

RELATED MATERIAL, Name NMFC 149980 NMFC 149980

**DOT Hazard Class IMDG Hazard Class** NR Not Regulated UN / NA Number Not Regulated Not Regulated UN / NA Number **DOT Packing Group** Not Regulated IMDG Packing Group Not Regulated

CERCLA/DOT RQ Not Applicable gal. / System Reference

Not Applicable lbs. Code

#### 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only

selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be

listed on the TSCA Inventory.

WHMIS Classification No Established Limit

DOT Marine Pollutants (10%):

(No Product Ingredients Listed)

DOT Severe Marine Pollutants (1%):

(No Product Ingredients Listed)

EPCRA 311/312 Chemicals and RQs (>.1%):

(No Product Ingredients Listed)

EPCRA 302 Extremely Hazardous (>.1%):

(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals (>.1%):

(No Product Ingredients Listed)

Mass RTK Substances (>1%):

Hexylene glycol

Iron oxide

Mass Extraordinarily Haz Sub (>.01%):

(No Product Ingredients Listed)

Penn RTK Substances (>1%):

Hexylene glycol

Iron oxide

Penn Special Hazardous Substances (>.01%):

(No Product Ingredients Listed)

Rhode Island Hazardous Substances (>.1%):

Hexylene glycol

Iron oxide

Stoddard solvent

RCRA Status (%):

N.J. RTK Substances (>1%):

Hexylene glycol

Iron oxide

N.J. Special Hazardous Substances (>.01%):

(No Product Ingredients Listed)

Aluminum

Benzene, ethyl-

Isobutyl alcohol

Manganese

Xylenes (o-, m-, p- isomers)

N.J. Env. Hazardous Substances (>.1%):

(No Product Ingredients Listed)

Proposition 65 - Carcinogens (>0%):

Cobalt

Benzene, ethyl-

#### Nickel

Proposition 65 – Female Repro Toxins (>0%):
(No Product Ingredients Listed)

Proposition 65 – Male Repro Toxins (>0%):
(No Product Ingredients Listed)

Proposition 65 – Developmental Toxins (>0%):
(No Product Ingredients Listed)

Risk Phrases:

R36/38: Irritating to eyes and skin.

R43: May cause sensitisation by skin contact.

R45: May cause cancer.

# 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.