SAFETY DATA SHEET

Chartek 2218 Part B

Safety Data Sheet according to GB/T 16483-2008 and GB/T 17519-2013

Section 1. Chemical product and company identification

GHS product identifier Product code : Chartek 2218 Part B

: HCA026

Relevant identified uses of the substance or mixture and uses advised against

| | Identified u | ises | |
|--|---|------|------------------------|
| Professional application of c | patings and inks | | |
| Uses | advised against | | Reason |
| All Other Uses | | | |
| Manufacturer | : International Paint Ltd. Stoneygate Lane Felling Gateshead Tyne and Wear NE10 0JY UK Tel: +44 (0)191 469 6111 | Fax | x: +44 (0)191 438 3711 |
| Emergency telephone number (with hours of operation) | : +44 (0)191 469 6111 (24H) | | |
| e-mail address of person responsible for this SDS | : sdsfellinguk@akzonobel.con | ı | |

Section 2. Hazards identification

| Classification of the substan | ce or mixture according to GB 13690-2009 and GB 30000-2013 |
|--|---|
| Classification of the substance or mixture | SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SKIN SENSITIZATION - Category 1 LONG-TERM AQUATIC HAZARD - Category 2 |
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Danger |
| Hazard statements | Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. |
| Precautionary statements | |
| Prevention | : Wear protective gloves. Wear eye or face protection. Avoid release to the environment. Avoid breathing dust. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. |
| : | |





Section 2. Hazards identification

| Response | : Collect spillage. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. |
|-----------------------------|--|
| Storage | : Not applicable. |
| Disposal | Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | : Wear appropriate respirator when ventilation is inadequate. |

Other hazards which do not : None known. result in classification

Section 3. Composition/information on ingredients

| Substance/mixture : Mixture | | | | |
|---------------------------------------|-----------|-------------|--|--|
| Ingredient name | % | CAS number | | |
| Aliphatic polysulphide polymer | ≥25 - ≤50 | 68611-50-7 | | |
| 2,4,6-tris(dimethylaminomethyl)phenol | <5 | 90-72-2 | | |
| Man-made vitreous (silicate) fibres | ≤5 | 287922-11-6 | | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. |
|--------------|---|
| Inhalation | : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |

2



214 41 4

| Section 4. First aid measures | | |
|---------------------------------|---|--|
| Ingestion | et medical attention immediately. Call a poison center or physician. Wash outh with water. Remove dentures if any. Remove victim to fresh air and st in a position comfortable for breathing. If material has been swallowed posed person is conscious, give small quantities of water to drink. Stop if posed person feels sick as vomiting may be dangerous. Do not induce vo- less directed to do so by medical personnel. If vomiting occurs, the head e kept low so that vomit does not enter the lungs. Chemical burns must be omptly by a physician. Never give anything by mouth to an unconscious p unconscious, place in recovery position and get medical attention immedia aintain an open airway. Loosen tight clothing such as a collar, tie, belt or aistband. | keep at and the the omiting should treated person. |
| Most important symptoms/e | acute and delayed | |
| Potential acute health effe | | |
| Eye contact | auses serious eye damage. | |
| Inhalation | ay give off gas, vapour or dust that is very irritating or corrosive to the resp stem. Exposure to decomposition products may cause a health hazard. S fects may be delayed following exposure. | |
| Skin contact | auses skin irritation. May cause an allergic skin reaction. | |
| Ingestion | itating to mouth, throat and stomach. | |
| <u>Over-exposure signs/symp</u> | | |
| Eye contact | dverse symptoms may include the following: in atering dness | |
| Inhalation | o specific data. | |
| Skin contact | lverse symptoms may include the following: in or irritation dness stering may occur | |
| Ingestion | lverse symptoms may include the following: omach pains | |
| Indication of immediate med | tention and special treatment needed, if necessary | |
| Notes to physician | case of inhalation of decomposition products in a fire, symptoms may be one exposed person may need to be kept under medical surveillance for 48 | |
| Specific treatments | o specific treatment. | |
| Protection of first-aiders | o action shall be taken involving any personal risk or without suitable training suspected that fumes are still present, the rescuer should wear an approprask or self-contained breathing apparatus. It may be dangerous to the per oviding aid to give mouth-to-mouth resuscitation. Wash contaminated close proughly with water before removing it, or wear gloves. | oriate rson |

See toxicological information (Section 11)

Section 5. Firefighting measures

| Extinguishing media | | |
|--------------------------------|---|---|
| Suitable extinguishing media | : | Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : | None known. |

:



Section 5. Firefighting measures

| | • |
|---|---|
| Specific hazards arising from the chemical | This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | |

Section 6. Accidental release measures

| Personal precautions, protect | tive | equipment and emergency procedures |
|--------------------------------|-------|---|
| For non-emergency personnel | | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | i | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | ; | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage. |
| Methods and material for con | tair | nment and cleaning up |
| Small spill | | Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | i | Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.



XInternational

X.International.

Section 7. Handling and storage

| | - | • |
|--|---|--|
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

| : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
|--|
| : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| <u>S</u> |
| : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead. |
| |
| : Use chemical resistant gloves classified under Standard EN 374: Protective gloves against chemicals and micro-organisms. Recommended: Viton® or Nitrile gloves. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/ puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred. |
| |

X.International.

Section 8. Exposure controls/personal protection

| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
|------------------------|---|
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |

Section 9. Physical and chemical properties

Appearance

| Physical state | Solid. | |
|--|--|--|
| Colour | White. | |
| Odour | Amine-like. | |
| Odour threshold | Not available. | |
| рН | Not applicable. | |
| Melting point | Not available. | |
| Boiling point | Not available. | |
| Flash point | Closed cup: 100°C (212°F) | |
| Evaporation rate | Not available. | |
| Flammability (solid, gas) | Not available. | |
| Lower and upper explosive (flammable) limits | Not available. | |
| Vapour pressure | Not available. | |
| Vapour density | Not available. | |
| Relative density | 1.5 | |
| Solubility | Insoluble in the following materials: cold water. | |
| Partition coefficient: n- octanol/water | Not available. | |
| Auto-ignition temperature | Not available. | |
| Decomposition temperature | Not available. | |
| Viscosity | Kinematic (room temperature): 100 mm ² /s (100 cSt) | |
| | | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

2



Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|---|-------------|---------|------------|----------|
| 2,4,6-tris (dimethylaminomethyl) phenol | LD50 Dermal | Rat | 1280 mg/kg | - |
| | LD50 Oral | Rat | 2169 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---|------------------------|---------|-------|---------------------------|-------------|
| 2,4,6-tris (dimethylaminomethyl) phenol | Eyes - Severe irritant | Rabbit | - | 24 hours 50 Micrograms | - |
| pricio | Skin - Mild irritant | Rat | - | 0.025 Mililiters | - |
| | Skin - Severe irritant | Rat | - | 0.25 Mililiters | - |
| | Skin - Severe irritant | Rabbit | - | 24 hours 2 milligrams | - |

Sensitisation

Not available.

<u>Mutagenicity</u>

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

:

Information on likely routes : Not available. **of exposure**

Potential acute health effects

| - otomilar addite meditin emedite | | |
|-----------------------------------|-----|---|
| Eye contact | : (| Causes serious eye damage. |
| Inhalation | : | May give off gas, vapour or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. |
| Skin contact | : (| Causes skin irritation. May cause an allergic skin reaction. |
| Ingestion | : | Irritating to mouth, throat and stomach. |

Symptoms related to the physical, chemical and toxicological characteristics



K.International.

Section 11. Toxicological information

| Eye contact | : Adverse symptoms may include the following: pain watering redness |
|--------------|--|
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur |
| Ingestion | : Adverse symptoms may include the following: stomach pains |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Short term exposure | | |
|--------------------------------|--|-----|
| Potential immediate effects | Not available. | |
| Potential delayed effects | Not available. | |
| <u>Long term exposure</u> | | |
| Potential immediate effects | Not available. | |
| Potential delayed effects | Not available. | |
| Potential chronic health eff | <u>è</u> | |
| Not available. | | |
| General | Once sensitized, a severe allergic reaction may occur when subsequently expo to very low levels. | sed |
| Carcinogenicity | No known significant effects or critical hazards. | |
| Mutagenicity | No known significant effects or critical hazards. | |
| Teratogenicity | No known significant effects or critical hazards. | |
| Developmental effects | No known significant effects or critical hazards. | |
| Fertility effects | No known significant effects or critical hazards. | |

Numerical measures of toxicity

Acute toxicity estimates Route ATE value Dermal 30652.4 mg/kg

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|---|---------------------|------------------------|----------|
| 2,4,6-tris (dimethylaminomethyl)phenol | Acute LC50 175 mg/l | Fish - Cyprinus carpio | 96 hours |

Persistence/degradability

Not available.

:

Bioaccumulative potential

X.International.

Section 12. Ecological information

| Product/ingredient name | LogPow | BCF | Potential |
|-----------------------------|--------|-----|-----------|
| 2,4,6-tris | 0.219 | - | low |
| (dimethylaminomethyl)phenol | | | |

Mobility in soil

| Soil/water partition | : Not available. |
|----------------------|------------------|
| coefficient (Koc) | |

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

 Disposal methods
 The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

| | China | UN | IMDG | ΙΑΤΑ |
|-------------------------------|--|---|---|---|
| UN number | UN3077 | UN3077 | UN3077 | UN3077 |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Aliphatic polysulphide polymer) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Aliphatic polysulphide polymer) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Aliphatic polysulphide polymer). Marine pollutant | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Aliphatic polysulphide polymer) |
| Transport hazard class(es) | 9 | 9 | 9 | 9 |
| Packing group | 111 | 111 | 111 | 111 |
| Environmental hazards | Yes. | Yes. | Yes. | Yes. |
| Additional information | The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg. | This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4. 1.1.4 to 4.1.1.8. | This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4. 1.1.4 to 4.1.1.8. | This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8. |

Date of issue/Date of revision : 17/08/2017

AkzoNobel

Section 14. Transport information

IMDG Code Segregation : Not applicable. group

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

Safety, health and
environmental regulations
specific for the product: No known specific national and/or regional regulations applicable to this product
(including its ingredients).

China inventory (IECSC) : Not determined.

List of Goods banned for Importing

None of the components are listed.

List of Goods banned for Exporting

None of the components are listed.

List of Toxic Chemicals Severely Restricted for Importing & Exporting by China

None of the components are listed.

Section 16. Other information

<u>History</u>

| HISTORY | |
|--------------------------------|--|
| Date of printing | : 17/08/2017 |
| Date of issue/Date of revision | : 17/08/2017 |
| Date of previous issue | : 07/03/2017 |
| Version | : 2 |
| Key to abbreviations | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations |
| References | : Not available. |

Procedure used to derive the classification

| Classification | Justification |
|-------------------------|--------------------|
| Skin Irrit. 2, H315 | Calculation method |
| Eye Dam. 1, H318 | Calculation method |
| Skin Sens. 1, H317 | Calculation method |
| Aquatic Chronic 2, H411 | Calculation method |

✓ Indicates information that has changed from previously issued version.

Notice to reader

AkzoNobel

Section 16. Other information

IMPORTANT NOTE: the information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates.

Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

MANUFACTURER'S DISCLAIMER: the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage, use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Unless we have agreed to the contrary, all products are supplied by us subject to our standard terms and conditions of business, which include limitations of liability. Please make sure to refer to these and / or the relevant agreement which you have with AkzoNobel (or its affiliate, as the case may be). © AkzoNobel