SAFETY DATA SHEET

INTERCHAR 1160 WHITE

Section 1. Identification

INTERCHAR 1160 WHITE HFA160

: GHS product identifier

: Product code

Identified uses	
Professional application of coatings and inks	
Uses advised against	Reason
All Other Uses	
International Farg AB Holmedalen 3 Aspereds Industriomrade SE-424 22 Angered Sweden	: Supplier's details
Tel: +46 (0) 31 928500 Fax: +46 (0) 31 928530	
+46 8 33 12 31	: Emergency telephone number (with hours of operation)
+966 55 388 0087	: <u>National advisory body/</u> <u>Poison Centre (For use only</u> <u>by licensed medical</u> <u>professionals.)</u>
sdsfellinguk@akzonobel.com	: e-mail address of person responsible for this SDS
Section 2. Hazards identification	
Not classified.	: Classification of the substance or mixture
GHS label elements	
No signal word.	: Signal word
No known significant effects or critical hazards.	: Hazard statements
Precautionary statements	
Not applicable.	: Prevention
Not applicable.	: Response
Not applicable.	: Storage
Dispose of contents and container in accordance with all local, regional, national and international regulations.	: Disposal
Wear appropriate respirator when ventilation is inadequate.	 Supplemental label elements
None known.	: Other hazards which do not result in classification



X.International.

Section 3. Composition/information on ingredients

Mixture

: Substance/mixture

Classification	CAS number	% by weight	Ingredient name
Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Acute 1, H400	1336-21-6	<0.25	ammonia

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures		
Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.	:	Eye contact
Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	:	Inhalation
Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.	:	Skin contact
Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.	:	Ingestion
Most important symptoms/effects, acute and delayed		
Potential acute health effects		
No known significant effects or critical hazards.	:	Eye contact
Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.	:	Inhalation
No known significant effects or critical hazards.	:	Skin contact
No known significant effects or critical hazards.	:	Ingestion
Over-exposure signs/symptoms		
No specific data.	:	Eye contact
No specific data.	:	Inhalation
No specific data.	:	Skin contact
No specific data.	:	Ingestion
Indication of immediate medical attention and special treatment needed, if nece	SS	ary
In case of inhalation of decomposition products in a fire, symptoms may be delayed.	:	Notes to physician

The exposed person may need to be kept under medical surveillance for 48 hou	irs.	
No specific treatment.	:	Specific treatments
No action shall be taken involving any personal risk or without suitable training.	:	Protection of first-aiders

See toxicological information (Section 11)

AkzoNobel

Section 5. Firefighting measures

Extinguishing media Use an extinguishing agent suitable for the surrounding fire. : Suitable extinguishing media None known. : Unsuitable extinguishing media In a fire or if heated, a pressure increase will occur and the container may burst. : Specific hazards arising from the chemical Decomposition products may include the following materials: : Hazardous thermal carbon dioxide decomposition products carbon monoxide nitrogen oxides metal oxide/oxides Promptly isolate the scene by removing all persons from the vicinity of the incident if : Special protective actions there is a fire. No action shall be taken involving any personal risk or without for fire-fighters suitable training. Fire-fighters should wear appropriate protective equipment and self-contained : Special protective breathing apparatus (SCBA) with a full face-piece operated in positive pressure equipment for fire-fighters mode. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures No action shall be taken involving any personal risk or without suitable training. : For non-emergency Evacuate surrounding areas. Keep unnecessary and unprotected personnel from personnel entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any : For emergency responders information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains : Environmental precautions and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Methods and material for containment and cleaning up Stop leak if without risk. Move containers from spill area. Dilute with water and mop : Small spill up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, : Large spill water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8).

: Protective measures



X.International.

Section 7. Handling and storage

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	:	Appropriate engineering controls
Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	:	Environmental exposure controls
Individual protection measures		
Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	:	Hygiene measures
Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.	:	Eye/face protection
Skin protection		
Use chemical resistant gloves classified under Standard EN 374: Protective gloves against chemicals and micro-organisms.	:	Hand protection
Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	:	Body protection
Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	:	Other skin protection
Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and	:	Respiratory protection

the safe working limits of the selected respirator.

Date of issue/Date of revision : Version : 3

- : Advice on general occupational hygiene
 - : Conditions for safe storage, including any incompatibilities



Section 9. Physical and chemical properties

Appearance	
Liquid.	: Physical state
White.	: Colour
Ammonia.	: Odour
Not available.	: Odour threshold
Not applicable.	: pH
Not available.	: Melting point
Lowest known value: 100°C (212°F) (water).	: Boiling point
Closed cup: 101°C (213.8°F)	: Flash point
Not available.	: Evaporation rate
Not available.	: Flammability (solid, gas)
Not available.	: Lower and upper explosive (flammable) limits
Not available.	: Vapour pressure
Not available.	: Vapour density
1.43	: Relative density
Soluble in the following materials: cold water.	: Solubility
Not available.	: Partition coefficient: n- octanol/water
Not available.	: Auto-ignition temperature
Not available.	: Decomposition temperature
Kinematic (room temperature): 350 mm ² /s (350 cSt)	: Viscosity
Section 10. Stability and reactivity	

occurrent for orability and reactivity	
No specific test data related to reactivity available for this product or its ingredients.	: Reactivity
The product is stable.	: Chemical stability
Under normal conditions of storage and use, hazardous reactions will not occur.	: Possibility of hazardous reactions
No specific data.	: Conditions to avoid
No specific data.	: Incompatible materials
Under normal conditions of storage and use, hazardous decomposition products should not be produced.	: Hazardous decomposition products
Section 11. Toxicological information	

Information on toxicological effects

Acute toxicity

Exposure	Dose	Species	Result	Product/ingredient name
-	350 mg/kg	Rat	LD50 Oral	ammonia

Irritation/Corrosion



X.International.

Section 11. Toxicological information

Observation	Exposure	Score	Species	Result	Product/ingredient name
-	250 Micrograms	-	Rabbit	Eyes - Severe irritant	ammonia
-	0.5 minutes 1 milligrams	-	Rabbit	Eyes - Severe irritant	

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Target organs	Route of exposure	Category	Name
Respiratory tract irritation	Not applicable.	Category 3	ammonia

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Not available.	: Information on likely routes of exposure
Potential acute health effects	
No known significant effects or critical hazards.	: Eye contact
Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.	: Inhalation
No known significant effects or critical hazards.	: Skin contact
No known significant effects or critical hazards.	: Ingestion
Symptoms related to the physical, chemical and toxicological characteristics	
No specific data.	: Eye contact
No specific data.	: Inhalation
No specific data.	: Skin contact
No specific data.	: Ingestion
<u>Delayed and immediate effects as well as chronic effects from short and long-</u> <u>Short term exposure</u>	<u>term exposure</u>
Not available.	: Potential immediate effects
Not available.	: Potential delayed effects
Long term exposure	

6/9

: 01/06/2017

AkzoNobel

Section 11. Toxicological information

Not available.

Not available.

Potential chronic health effects

Not available.

No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

: Potential immediate

- effects
- : Potential delayed effects
- : General
- : Carcinogenicity
- : Mutagenicity
- : Teratogenicity
- : Developmental effects
- : Fertility effects

Section 12. Ecological information

<u>Toxicity</u>

Exposure	Species	Result	Product/ingredient name
96 hours	Fish - Gambusia affinis - Adult	Acute LC50 15000 µg/l Fresh water	ammonia

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Not available.

: Soil/water partition coefficient (Koc)

No known significant effects or critical hazards.

: Other adverse effects

: Disposal methods

Section 13. Disposal considerations

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

AkzoNobel

K.International.

X.International.

Section 14. Transport information

ΙΑΤΑ	IMDG	UN	
Not regulated.	Not regulated.	Not regulated.	UN number
-	-	-	UN proper shipping name
-	-	-	Transport hazard class(es)
-	-	-	Packing group
No.	No.	No.	Environmental hazards
-	-	-	Additional information

Not applicable.

: IMDG Code Segregation group

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

: Special precautions for user

: Transport in bulk according to Annex II of Marpol and

the IBC Code

Not available.

Section 15. Regulatory information

No known specific national and/or regional regulations applicable to this product (including its ingredients).

: Safety, health and environmental

regulations specific for the product

Section 16. Other information

Justification

Version : 3

Justification		C	Classification	
Not classified.				
listory				
1/06/2017			: Date of printing	
01/06/2017			: Date of issue/Date revision	e of
1/11/2016			: Date of previous	issue
i			: Version	
ATE = Acute Toxicity Estimate BCF = Bioconcentration Facto GHS = Globally Harmonized S ATA = International Air Trans BC = Internediate Bulk Conta MDG = International Maritime LogPow = logarithm of the oct MARPOL = International Conv 1973 as modified by the Proto	r System of Classification an port Association liner Dangerous Goods anol/water partition coeffic rention for the Prevention	ient of Pollution From Ships,	: Key to abbreviation	ons
ate of issue/Date of revision	: 01/06/2017	2/2	Akzo	Nobe

Section 16. Other information

UN = United Nations

Not available.

Indicates information that has changed from previously issued version.

Notice to reader

IMPORTANT NOTE: the information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates.

Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

MANUFACTURER'S DISCLAIMER: the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage, use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Unless we have agreed to the contrary, all products are supplied by us subject to our standard terms and conditions of business, which include limitations of liability. Please make sure to refer to these and / or the relevant agreement which you have with AkzoNobel (or its affiliate, as the case may be). © AkzoNobel

: 01/06/2017



K.International.

: References