SAFETY DATA SHEET

INTERCRETE 4852 PART B

Section 1. Identification

INTERCRETE 4852 PART B NXA521

г

: GHS product identifier

: Product code

Identified uses	
Professional application of coatings and inks	
Uses advised against	Reason
All Other Uses	
International Paint Ltd. Stoneygate Lane Felling Gateshead Tyne and Wear	: Supplier's details
NE10 0JY UK	
Tel: +44 (0)191 469 6111 Fax: +44 (0)191 438 3711	
+44 (0)191 469 6111 (24H)	: Emergency telephone number (with hours of operation)
+966 55 388 0087	: <u>National advisory body/</u> <u>Poison Centre (For use only</u> <u>by licensed medical</u> <u>professionals.)</u>
sdsfellinguk@akzonobel.com	: e-mail address of person responsible for this SDS
Section 2. Hazards identification	
SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SKIN SENSITIZATION - Category 1	: Classification of the substance or mixture
GHS label elements	: Hazard pictograms
Danger	: Signal word
Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction.	: Hazard statements
Precautionary statements	
Wear protective gloves. Wear eye or face protection. Avoid breathing du hands thoroughly after handling. Contaminated work clothing should not out of the workplace.	



Section 2. Hazards identification

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.	:	Response
Not applicable.	:	Storage
Dispose of contents and container in accordance with all local, regional, national and international regulations.	:	Disposal
	÷	
		Supplemental label elements
None known.	:	Other hazards which do no

: Other hazards which do not result in classification

Section 3. Composition/information on ingredients

```
Mixture
```

: Substance/mixture

Classification	CAS number	% by weight	Ingredient name
Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335	65997-15-1	≥10 - ≤18	Cement, portland, chemicals
Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412	1305-62-0	≤1.3	calcium dihydroxide

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Get medical attention immediately. Call a poison center or physician. Immediately : **Eye contact** flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Get medical attention immediately. Call a poison center or physician. Remove : **Inhalation**

victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

XInternational

Section 4. First aid measures		
Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	:	Ingestion
Most important symptoms/effects, acute and delayed		
Potential acute health effects		
Causes serious eye damage.	:	Eye contact
May give off gas, vapour or dust that is very irritating or corrosive to the respiratory system.	:	Inhalation
Causes skin irritation. May cause an allergic skin reaction.	:	Skin contact
Irritating to mouth, throat and stomach.	:	Ingestion
Over-exposure signs/symptoms		
Adverse symptoms may include the following: pain watering redness	:	Eye contact
No specific data.	:	Inhalation
Adverse symptoms may include the following: pain or irritation redness blistering may occur	:	Skin contact
Adverse symptoms may include the following: stomach pains	:	Ingestion
Indication of immediate medical attention and special treatment needed, if nece	ess	ary
Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	:	Notes to physician
No specific treatment.	:	Specific treatments
No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth to mouth requestitation. Weak containing all the dangerous to the person	:	Protection of first-aiders

See toxicological information (Section 11)

Section 5. Firefighting measures

thoroughly with water before removing it, or wear gloves.

Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

None known.

No specific fire or explosion hazard.

Date of issue/Date of revision : 25/04/2017 Version : 3

3/10

providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

- : Suitable extinguishing media
- : Unsuitable extinguishing media
- : Specific hazards arising from the chemical





Section 5. Firefighting measures

Section 5. Firefighting measures	
Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides	: Hazardous thermal decomposition products
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	: Special protective actions for fire-fighters
Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	: Special protective equipment for fire-fighters
Section 6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	
No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	: For non-emergency personnel
If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	: For emergency responders
Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	: Environmental precautions
Methods and material for containment and cleaning up	
Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.	: Small spill
Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13	: Large spill

Section 7. Handling and storage

Precautions for safe handling

for waste disposal.

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- : Protective measures
- : Advice on general occupational hygiene



Section 7. Handling and storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Exposure limits	Ingredient name
ACGIH TLV (United States, 3/2015). TWA: 1 mg/m ³ 8 hours. Form: Respirable	Cement, portland, chemicals
fraction ACGIH TLV (United States, 3/2015). TWA: 5 mg/m ³ 8 hours.	calcium dihydroxide

If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Wash hands, forearms and face thoroughly after handling chemical products, before : Hygiene measures eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Use chemical resistant gloves classified under Standard EN 374: Protective gloves against chemicals and micro-organisms. Recommended: Viton® or Nitrile gloves. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/ puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.



: Conditions for safe storage, including any incompatibilities

- : Appropriate engineering controls
- : Environmental exposure controls
- : Eye/face protection
- : Hand protection



Section 8. Exposure controls/personal protection Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Body protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

l be hould be	:	Other skin protection
ved	:	Respiratory protection

Section 9. Physical and chemical properties

Appearance	
Solid.	: Physical state
Grey.	: Colour
Bland.	: Odour
Not available.	: Odour threshold
Not applicable.	: pH
Not available.	: Melting point
Not available.	: Boiling point
Closed cup: Not applicable.	: Flash point
Not available.	: Evaporation rate
Not available.	: Flammability (solid, gas)
Not available.	: Lower and upper explosive (flammable) limits
Not available.	: Vapour pressure
Not available.	: Vapour density
1.9	: Relative density
Not available.	: Solubility
Not available.	: Partition coefficient: n- octanol/water
Not available.	: Auto-ignition temperature
Not available.	: Decomposition temperature
Kinematic (room temperature): Not applicable.	: Viscosity
Section 10. Stability and reactivity	
No specific test data related to reactivity available for this product or its ingredients.	: Reactivity
The product is stable.	: Chemical stability
Under normal conditions of storage and use, hazardous reactions will not occur.	: Possibility of hazardous reactions
No specific data.	: Conditions to avoid
No specific data.	: Incompatible materials
Under normal conditions of storage and use, hazardous decomposition products should not be produced.	: Hazardous decomposition products

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Exposure	Dose	Species	Result	Product/ingredient name
-	7340 mg/kg	Rat	LD50 Oral	calcium dihydroxide

Irritation/Corrosion

Observation	Exposure	Score	Species	Result	Product/ingredient name
-	10 milligrams	-	Rabbit	Eyes - Severe irritant	calcium dihydroxide

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Target organs	Route of exposure	Category	Name
Respiratory tract irritation	Not applicable.	Category 3	Cement, portland, chemicals
Respiratory tract irritation	Not applicable.	Category 3	calcium dihydroxide

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Not available.	: Information on likely routes of exposure
Potential acute health effects	
Causes serious eye damage.	: Eye contact
May give off gas, vapour or dust that is very irritating or corrosive to the respiratory system.	: Inhalation
Causes skin irritation. May cause an allergic skin reaction.	: Skin contact
Irritating to mouth, throat and stomach.	: Ingestion
Symptoms related to the physical, chemical and toxicological characteristics Adverse symptoms may include the following: pain watering redness No specific data.	: Eye contact : Inhalation



Section 11. Toxicological information



Adverse symptoms may include the following: pain or irritation redness	: Skin contact
blistering may occur Adverse symptoms may include the following: stomach pains	: Ingestion
Delayed and immediate effects as well as chronic effects from short and long	-term exposure
Short term exposure	
Not available.	: Potential immediate effects
Not available.	: Potential delayed effects
<u>_ong term exposure</u>	
Not available.	: Potential immediate effects
Not available.	: Potential delayed effects
Potential chronic health effects	
Not available.	
Once sensitized, a severe allergic reaction may occur when subsequently exposed o very low levels.	: General
No known significant effects or critical hazards.	: Carcinogenicity
No known significant effects or critical hazards.	: Mutagenicity
No known significant effects or critical hazards.	: Teratogenicity
No known significant effects or critical hazards.	: Developmental effects
	: Fertility effects

Acute toxicity estimates

Not available.

Section 12. Ecological information

<u>Toxicity</u>

Exposure	Species	Result	Product/ingredient name
96 hours	Fish - Clarias gariepinus - Fingerling	Acute LC50 33884.4 µg/l Fresh water	calcium dihydroxide

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Not available.

No known significant effects or critical hazards.

- : Soil/water partition coefficient (K_{oc})
- : Other adverse effects



Section 13. Disposal considerations

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ΙΑΤΑ	IMDG	UN	
Not regulated.	Not regulated.	Not regulated.	UN number
-	-	-	UN proper shipping name
-	-	-	Transport hazard class(es)
-	-	-	Packing group
No.	No.	No.	Environmental hazards
-	-	-	Additional information

Not applicable.

Not available.

: IMDG Code Segregation group

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. **Special precautions for user**

: Transport in bulk according to Annex II of Marpol and the IBC Code

Section 15. Regulatory information

No known specific national and/or regional regulations applicable to this product (including its ingredients).

Safety, health and environmental regulations specific for the product

-

: Disposal methods

XInternational



Section 16. Other information

Justification

Justification	Classification	
Calculation method	Skin Irrit. 2, H315	
Calculation method	Eye Dam. 1, H318	
Calculation method	Skin Sens. 1, H317	
<u>History</u>		
25/04/2017	: Date of printing	g
25/04/2017	: Date of issue/D revision)ate of
16/06/2016	: Date of previou	us issue
3	: Version	
ATE = Acute Toxicity Estimate	: Key to abbrevi	ations
BCF = Bioconcentration Factor	-	
GHS = Globally Harmonized System of Classification and L	abelling of Chemicals	
IATA = International Air Transport Association IBC = Intermediate Bulk Container		
IMDG = International Maritime Dangerous Goods		
LogPow = logarithm of the octanol/water partition coefficien	t	
MARPOL = International Convention for the Prevention of F		
1973 as modified by the Protocol of 1978. ("Marpol" = marir	ne pollution)	
UN = United Nations		
Not available.	: References	
Indicates information that has changed from previously	vissued version.	[
Notice to reader		

Notice to reader

IMPORTANT NOTE: the information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates.

Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

MANUFACTURER'S DISCLAIMER: the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage, use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Unless we have agreed to the contrary, all products are supplied by us subject to our standard terms and conditions of business, which include limitations of liability. Please make sure to refer to these and / or the relevant agreement which you have with AkzoNobel (or its affiliate, as the case may be). © AkzoNobel

10/10

