

SAFETY DATA SHEET

Intercrete 4840 Part A

Section 1. Identification

Intercrete 4840 Part A NXA480

г

: GHS product identifier

: Product code

Identified uses	
Professional application of coatings and inks	
Uses advised against	Reason
All Other Uses	
International Paint Ltd. Stoneygate Lane Felling Gateshead Tyne and Wear NE10 0JY UK Tel: +44 (0)191 469 6111 Fax: +44 (0)191 438 3711	: Supplier's details
+44 (0)191 469 6111 (24H)	: Emergency telephone number (with hours of operation)
+966 55 388 0087	: <u>National advisory body/</u> <u>Poison Centre (For use only</u> <u>by licensed medical</u> <u>professionals.)</u>
sdsfellinguk@akzonobel.com	: e-mail address of person responsible for this SDS
Section 2. Hazards identification	
SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 LONG-TERM AQUATIC HAZARD - Category 3	: Classification of the substance or mixture
<u>GHS label elements</u>	: Hazard pictograms
Warning	: Signal word
Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects. Precautionary statements	: Hazard statements
Wear protective gloves. Wear eye or face protection. Avoid release environment. Avoid breathing vapour. Wash hands thoroughly after Contaminated work clothing should not be allowed out of the workplace	nandling.



Section 2. Hazards identification

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.	:	Response
Not applicable.	:	Storage
Dispose of contents and container in accordance with all local, regional, national and international regulations.	:	Disposal
	:	
		Supplemental label elements

None known.

: Other hazards which do not result in classification

Section 3. Composition/information on ingredients

Mixture

: Substance/mixture

Classification	CAS number	% by weight	Ingredient name
Skin Irrit. 2, H315	28064-14-4	≤10	Phenol, polymer with formaldehyde, glycidyl ether
Eye Irrit. 2A, H319			
Skin Sens. 1, H317			
Aquatic Chronic 2, H411			
Skin Irrit. 2, H315	25068-38-6	≤10	reaction product: bisphenol-A-(epichlorhydrin); epoxy resin
Eye Irrit. 2A, H319			
Skin Sens. 1, H317			
Aquatic Chronic 2, H411			
Acute Tox. 4, H302	2634-33-5	<0.025	1,2-benzisothiazol-3(2H)-one
Skin Irrit. 2, H315			
Eye Dam. 1, H318			
Skin Sens. 1, H317			
Aquatic Acute 1, H400 Aquatic Chronic 1, H410			

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

- : Eye contact
- : Inhalation

X.International.

Section 4. First aid measures	_	
Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.	:	Skin contact
Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	:	Ingestion
Most important symptoms/effects, acute and delayed		
Potential acute health effects		
Causes serious eye irritation.	:	Eye contact
No known significant effects or critical hazards.	:	Inhalation
Causes skin irritation. May cause an allergic skin reaction.	:	Skin contact
Irritating to mouth, throat and stomach.	:	Ingestion
Over-exposure signs/symptoms		
Adverse symptoms may include the following: pain or irritation watering redness	:	Eye contact
No specific data.	:	Inhalation
Adverse symptoms may include the following: irritation redness	:	Skin contact
No specific data.	:	Ingestion
Indication of immediate medical attention and special treatment needed, if nece	ese	sary
Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	:	Notes to physician
No specific treatment.	:	Specific treatments
No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear	:	Protection of first-aiders

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

None known.

gloves.

- : Suitable extinguishing media
- : Unsuitable extinguishing media





X.International.

•				
Section 5. Firefighting measures				
In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.	: Specific hazards arising from the chemical			
Decomposition products may include the following materials: carbon dioxide carbon monoxide	: Hazardous thermal decomposition products			
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	: Special protective actions for fire-fighters			
-fighters should wear appropriate protective equipment and self-contained : Special protective athing apparatus (SCBA) with a full face-piece operated in positive pressure equipment for fire le.				
Section 6. Accidental release measures				
Personal precautions, protective equipment and emergency procedures				
No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	: For non-emergency personnel			
f specialised clothing is required to deal with the spillage, take note of any nformation in Section 8 on suitable and unsuitable materials. See also the nformation in "For non-emergency personnel".	: For emergency responders			
Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.	: Environmental precautions			
Methods and material for containment and cleaning up				
Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	: Small spill			
Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	: Large spill			
Section 7. Handling and storage				
Precautions for safe handling				
Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be bazardous. Do not reuse container.	: Protective measures			

hazardous. Do not reuse container. Dry sanding, flame cutting and/or welding of the dry paint film will give rise to dust and/or hazardous fumes. Wet sanding/flatting should be used wherever possible. If exposure cannot be avoided by the provision



Section 7. Handling and storage

of local exhaust ventilation, suitable respiratory protective equipment should be used.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

: Advice on general occupational hygiene

: Conditions for safe storage, including any incompatibilities

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Good general ventilation should be sufficient to control worker exposure to a contaminants.	airborne :	Appropriate engineering controls
Emissions from ventilation or work process equipment should be checked to they comply with the requirements of environmental protection legislation. I cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		Environmental exposure controls
Wash hands, forearms and face thoroughly after handling chemical product eating, smoking and using the lavatory and at the end of the working period Appropriate techniques should be used to remove potentially contaminated Contaminated work clothing should not be allowed out of the workplace. W contaminated clothing before reusing. Ensure that eyewash stations and sa showers are close to the workstation location.	clothing. ash	Hygiene measures
Safety eyewear complying with an approved standard should be used when assessment indicates this is necessary to avoid exposure to liquid splashes gases or dusts. If contact is possible, the following protection should be wo unless the assessment indicates a higher degree of protection: chemical sp goggles. Skin protection	s, mists, rn,	Eye/face protection
Use chemical resistant gloves classified under Standard EN 374: Protective against chemicals and micro-organisms. Recommended: Viton® or Nitril When prolonged or frequently repeated contact may occur, a glove with a p class of 6 (breakthrough time greater than 480 minutes according to EN 374 recommended. When only brief contact is expected, a glove with a protection of 2 or higher (breakthrough time greater than 30 minutes according to EN 374 recommended. The user must check that the final choice of type of glove s for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. NOT The selection of a specific glove for a particular application and duration of workplace should also take into account all relevant workplace factors such not limited to: Other chemicals which may be handled, physical requirement puncture protection, dexterity, thermal protection), potential body reactions to materials, as well as the instructions/specifications provided by the glove su Barrier creams may help to protect the exposed areas of the skin but should applied once exposure has occurred.	le gloves. rotection 4) is on class 374) is selected TICE: use in a as, but ts (cut/ to glove upplier.	Hand protection



Section 8. Exposure controls/personal protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	:	Body protection
Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	:	Other skin protection
Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must	:	Respiratory protection

Section 9. Physical and chemical properties

the safe working limits of the selected respirator.

be based on known or anticipated exposure levels, the hazards of the product and

Appearance	
Liquid.	: Physical state
White.	: Colour
Mild.	: Odour
Not available.	: Odour threshold
Not applicable.	: pH
Not available.	: Melting point
Lowest known value: 100°C (212°F) (water).	: Boiling point
Closed cup: Not applicable.	: Flash point
Not available.	: Evaporation rate
Not available.	: Flammability (solid, gas)
Not available.	: Lower and upper explosive (flammable) limits
Not available.	: Vapour pressure
Not available.	: Vapour density
1.032	: Relative density
Easily soluble in the following materials: cold water.	: Solubility
Not available.	: Partition coefficient: n- octanol/water
Not available.	: Auto-ignition temperature
Not available.	: Decomposition temperature
Kinematic (room temperature): 100 mm ² /s (100 cSt)	: Viscosity

Section 10. Stability and reactivity

No specific test data related to reactivity available for this product or its ingredients.	: Reactivity
The product is stable.	: Chemical stability
Under normal conditions of storage and use, hazardous reactions will not occur.	: Possibility of hazardous reactions
No specific data.	: Conditions to avoid
No specific data.	: Incompatible materials
Under normal conditions of storage and use, hazardous decomposition products should not be produced.	: Hazardous decomposition products

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Exposure	Dose	Species	Result	Product/ingredient name
-	1020 mg/kg	Rat	LD50 Oral	1,2-benzisothiazol-3(2H)-one

Irritation/Corrosion

Observation	Exposure	Score	Species	Result	Product/ingredient name
-	100 milligrams	-	Rabbit	Eyes - Mild irritant	reaction product: bisphenol- A-(epichlorhydrin); epoxy resin
-	24 hours 20 milligrams	-	Rabbit	Eyes - Moderate irritant	
-	24 hours 5 milligrams	-	Rabbit	Eyes - Severe irritant	
-	24 hours 500 microliters	-	Rabbit	Skin - Moderate irritant	
-	24 hours 2 milligrams	-	Rabbit	Skin - Severe irritant	
-	48 hours 5 Percent	-	Human	Skin - Mild irritant	1,2-benzisothiazol-3(2H)-one

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Not available.

Potential acute health effects

Causes serious eye irritation. No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin reaction. Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

- : Information on likely routes of exposure
- : Eye contact
- : Inhalation
- : Skin contact
- : Ingestion





Section 11. Toxicological information

-	
Adverse symptoms may include the following: pain or irritation watering redness	: Eye contact
No specific data.	: Inhalation
Adverse symptoms may include the following: irritation redness	: Skin contact
No specific data.	: Ingestion
Delayed and immediate effects as well as chronic effects from	<u>n short and long-term exposure</u>
Short term exposure	
Not available.	: Potential immediate effects
Not available.	: Potential delayed effects
Long term exposure	
Not available.	: Potential immediate effects
Not available.	: Potential delayed effects
Detential abuenia bealth affects	

Potential chronic health effects

Not available.

Not available.	
Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.	: General
No known significant effects or critical hazards.	: Carcinogenicity
No known significant effects or critical hazards.	: Mutagenicity
No known significant effects or critical hazards.	: Teratogenicity
No known significant effects or critical hazards.	: Developmental effects
No known significant effects or critical hazards.	: Fertility effects

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

<u>Toxicity</u>

Exposure	Species	Result	Product/ingredient name
48 hours	Daphnia - Daphnia magna	Acute EC50 1.5 mg/l	1,2-benzisothiazol-3(2H)-one
48 hours	Daphnia - Daphnia magna	Acute EC50 97 ppb Fresh water	
72 hours	Algae - Pseudokirchneriella subcapitata	Acute IC50 0.067 mg/l	
48 hours	Crustaceans - Ceriodaphnia dubia	Acute LC50 >10 mg/l Fresh water	
96 hours	Fish - Ochorhyncus mykiss	Acute LC50 1.3 mg/l	
96 hours	Fish - Oncorhynchus mykiss	Acute LC50 167 ppb Fresh water	

Persistence and degradability

X.International.

Section 12. Ecological information

Biodegradability	Photolysis	Aquatic half-life	Product/ingredient name
Not readily	-		reaction product: bisphenol- A-(epichlorhydrin); epoxy resin

Bioaccumulative potential

Potential	BCF	LogPow	Product/ingredient name
low	-		reaction product: bisphenol- A-(epichlorhydrin); epoxy resin

Mobility in soil

Not available.

: Soil/water partition coefficient (Koc)

: Other adverse effects

: Disposal methods

No known significant effects or critical hazards.

Section 13. Disposal considerations

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ΙΑΤΑ	IMDG	UN	
Not regulated.	Not regulated.	Not regulated.	UN number
-	-	-	UN proper shipping name
-	-	-	Transport hazard class(es)
-	-	-	Packing group
No.	No.	No.	Environmental hazards
-	-	-	Additional information

Not applicable.

: IMDG Code Segregation group

Date of issue/Date of revision : 25/04/ Version : 3





Section 14. Transport information

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

: Special precautions for user

: Transport in bulk according to Annex II of Marpol and the IBC Code

Section 15. Regulatory information

No known specific national and/or regional regulations applicable to this product (including its ingredients).

: Safety, health and environmental regulations specific for the product

Section 16. Other information

Justification

Not available.

Justification	Classification
Calculation method	Skin Irrit. 2, H315
Calculation method	Eye Irrit. 2A, H319
Calculation method	Skin Sens. 1, H317
Calculation method	Aquatic Chronic 3, H412

<u>History</u>

<u>instory</u>	
25/04/2017	: Date of printing
25/04/2017	 Date of issue/Date of revision
01/06/2016	: Date of previous issue
3	: Version
ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Che IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From S 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations	
Not available.	: References
Indicates information that has changed from previously issued version	on.

Notice to reader

IMPORTANT NOTE: the information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates.

Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

MANUFACTURER'S DISCLAIMER: the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage,



Section 16. Other information

use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Unless we have agreed to the contrary, all products are supplied by us subject to our standard terms and conditions of business, which include limitations of liability. Please make sure to refer to these and / or the relevant agreement which you have with AkzoNobel (or its affiliate, as the case may be). © AkzoNobel

