

EGA936 INTERZONE 505 RAL1021 YELLOW PART A

6

10/25/14

1.

1.1. INTERZONE 505 RAL1021 YELLOW PART A  
EGA936

1.2.

1.3.

626-6

( 8-6 )

1.4.

055-632-6286( ),055 586 2310( )

055 587 6276( )

055 586 2310( )

055 586 2310( )

2.

2.1.

3; H226

/

2;H315

/

2;H319

1;H317

1B;H350

2;H411

2.2.

11 , 12



H226  
H315  
H317  
H319  
H350  
H411

[ ]:

P201  
P202  
P210 / / /  
P261 / /가 / / /  
P264  
P272  
P273  
P280 / / /

[ ]:

P302+352 :  
P303+361+353 ( ) :  
/ 가 : .가  
P308+313 : /  
P312 /  
P321 ( ).  
P333 :  
P337 :  
P362  
P363  
P370 :  
P378 , , ,  
P391

[ ]:

P403+233 가  
P405 가

[ ]:

P501 ( )

2.3. PBT ( , ) vPvB ( , )

3.

/	%	GHS	
Epoxy resin (av.mol.wt.<700) CAS No: 0025068-38-6	50-60	/ 2;H319 / 2;H315 1;H317 - 2;H411	[1]
Propylene glycol mono methyl ether CAS No: 0000107-98-2	2.5-5	3; H226 -1 ;H336	[1][2]
Benzyl alcohol	2.5-5	- 4;H332	[1]

CAS No: 0000100-51-6		- 4;H302	
xylene CAS No: 0001330-20-7	2.5-5	3; H226 - 4;H312 - 4;H332 / 2;H315 / 2AIH319 -1 ;H336 - 1;H372	[1][2]
3-Glycidyloxypropyl-trimethoxysilane CAS No: 0002530-83-8	<1	/ 1;H318	[1]
Distillates (petroleum), solvent refined heavy paraffinic CAS No: 0064741-88-4	<1	1B;H350	[1]
	20-30	---	---

- 1)
- 2) 가
- 3) PBT vPvB  
16

4.

4.1.

가

가

10

4.2. 가 /

4.3.

5. ,

5.1.

;

Note; 가 . . . . .

가 . . . . .

5.2. 가 :  
, , , . . . . .

5.3. 가 . . . . .  
가 . . . . .

6.

6.1. 가 , 가  
가 가 가 . . . . .

6.2. 가 . . . . .  
6.3. .8  
, , 가 . . . . .  
(13 .)

가 . . . . .  
가 . . . . .  
, 가 , 가 . . . . .

7.

7.1. 가 . . . . .  
, 가 (LEL) (OEL)

가 . . . . .

가 . . . . .  
, 가 (LEL) (OEL)

7.2. ( )

: , , .  
 , 8 .

가 , 가  
가 , 1 가

7.3. Specific end use(s)

가  
, 가 . 3

Hot surfaces, Sparks,

가 ( 60% , )

8.

8.1. ,  
(OEL) (ACGIH)

(ACGIH)

	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Propylene glycol mono methyl ether	150	540	100	360
xylene	150	655	100	434

(P) (Peak exposure limit)

(R)

(Sk)

(Sen)

(Cat 1)

(Cat 2) 가

(Cat 3)

**DNEL/PNEC**

8.2. 가

가

(visor)

(overall)

가

가

.가

가

9.

pH

/ (°C)

(°C)

117

37

( = 1)

( , )

/

: 1.1 ( xylene )

: 6.6 ( xylene )

(Pa)

1.40

n-

/

(Log Kow)

9.2.

10.

10.1.

10.2.

.(Section 7 )

가

10.3.

가

10.4.

.(7 .)

10.5.

10.6.

가

11.

(OEL)

가

Data

가

가

2

	LD50, mg/kg	LD50, mg/kg	LD50, mg/L/4hr	/ LD50, mg/L/4hr
3-Glycidyoxypropyl-trimethoxysilane - (2530-83-8)	8,030.00,	4,248.00,		5.30,
Benzyl alcohol - (100-51-6)	1,230.00,	2,000.00,		4.178,
Distillates (petroleum), solvent refined heavy paraffinic - (64741-88-4)				
Epoxy resin (av.mol.wt.<700) - (25068- 38-6)	2,000.00,	2,000.00,		
Propylene glycol mono methyl ether - (107-98-2)	5,000.00,	13,000.00,		
xylene - (1330-20-7)	4,299.00,	1,548.00,		20.00,

( )		
( )		

( )		
/	2	.
/	2	
	1	.
	1B	.
(1 )		
( )		

12.

12.1. Dangerous Preparations Directive 1999/45/EC 가  
 , ( 3 )  
 가

	96 hr LC50 , mg/l	49 hr EC50 , mg/l	ErC50 , mg/l
Epoxy resin (av.mol.wt.<700) - (25068-38-6)	3.10, Pimephales promelas	1.40, Daphnia magna	
Propylene glycol mono methyl ether - (107-98-2)	1,000.00, Oncorhynchus mykiss	500.00, Daphnia magna	1,000.00 (96 hr), Selenastrum capricornutum
Benzyl alcohol - (100-51-6)	10.00, Lepomis macrochirus	55.00, Daphnia magna	700.00 (72 hr),
xylene - (1330-20-7)	3.30, Oncorhynchus mykiss	8.50, Palaemonetes pugio	100.00 (72 hr), Chlorococcales
3-Glycidyoxypropyl-trimethoxysilane - (2530-83-8)	55.00, Cyprinus carpio	473.00, Daphnia magna	255.00 (72 hr), Scenedesmus subspicatus
Distillates (petroleum), solvent refined heavy paraffinic - (64741-88-4)			

12.2. 가

12.3.

12.4.

12.5. , 가  
 PBT ( , ) vPvB ( , )

12.6.



13.

13.1.

가

14.

14.1.

1263

14.2.

14.3.

1263, , 3, III, 3[Y]

IMDG

Class/Div. 3

EmS

F-E,S-E

ICAO/IATA

3

14.4.

III

14.5.

:

IMDG

: (Epoxy Resin)

14.6.

가

가

14.7.

MARPOL73/78 Annex II IBC Code .

15.

4

, 2

III

MSDS 8

( )

(CMR):

carbon black (0001333-86-4)

Ethylbenzene (0000100-41-4)

:

xylene (0001330-20-7)

:

xylene (0001330-20-7)

가

:

( )

:

( )

:

( )

:

( )

Epoxy resin (av.mol.wt.<700) (0025068-38-6)

**Group I:**

( )

**Group II:**

Epoxy resin (av.mol.wt.<700) (0025068-38-6)

Ethylbenzene (0000100-41-4)

xylene (0001330-20-7)

:

( )

( )

:

( )

**16.**

: 10/25/2014

: 6

: 10/30/2013

MSDS KOSHA, NITE, ESIS, NLM, SIDS, IPCS, NCIS

SDS

Section 3 Phrases

H226

H302

H312

H315

H317

H319

H332

H336

H372

H411

This SDS is valid for 5 years from the revised date on page 1.



Akzo Nobel

가