Safety Data Sheet INTERZINC 22 PART B Bulk Sales Reference No.: SDS Revision Date: SDS Revision Number:

QHA027 02/24/2016 A0

XInternational.

1. Identification of the	preparation and company
1.1. Product identifier	
Product Identity	INTERZINC 22 PART B
Bulk Sales Reference Number	QHA027
1.2. Relevant identified uses of the substance or mixt	ure and uses advised against
Intended Use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	International Paint Ltda ARGENTINA: Ruta Panamericana Km 37,5 Garin, Buenos Aires PO Box: B1606DQE
	AKZONOBEL CHILE: Calle Limache 3363 Local 3, El Salto Viña del Mar, Chile C.P. 2520642 - Rut 76.048140-8
	BRAZIL: Avenida Paiva, 999 - Neves Sao Goncalo, RJ 24426-148 Brazil
Emergency	
Suatrans Cotec	0800 7071 767 or 0800 7077 022 or 0800 172020 or 55*2*7500 (24 hr)
International Paint	ARGENTINA: +54 3327 44 7777
	CHILE: +56 32 267 1174
	BRAZIL: +55 21 2199-7100
Poison Control Center (Brazil)	0800-0148110 or +55 11 3069-8800
Medical Service (Argentina)	+54 3327 44 7144 or +54 3327 44 7282
Firefighter/HSE (Argentina)	+54 3327 44 7123
Customer Service	ARGENTINA: +54 3327 44 7777 Fax: +54 3327 44 7738
	CHILE: +56 32 267 1174 Fax: +56 32 263 1496
	BRAZIL: +55 21 2199-7100 Fax: +55 21 2199-7124
2. Hazard identifi	cation of the product

2.1. Classification of the substance or mixture Aquatic Chronic 1;H410

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.



H410 Very toxic to aquatic life with long lasting effects.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents / container in accordance with local / national regulations.

3. (Composition/informatic	on on ingredients	
------	------------------------	-------------------	--

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations		Weight %
Zinc		75 - 100
CAS Number:	0007440-66-6	
Zinc oxide		1.0 - 10
CAS Number:	0001314-13-2	

	4. First aid measures
4.1. Description of first	aid measures
General	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.
Ingestion	If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.
4.2. Most important syn	nptoms and effects, both acute and delayed
Overview	Avoid contact with eyes, skin and clothing.
Inhalation	Harmful if inhaled. Causes nose and throat irritation.
Eyes	Causes severe eye irritation. Avoid contact with eyes.
Skin	Causes skin irritation. May be harmful if absorbed through the skin.
Ingestion	Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.
Chronic effects	
	5. Fire-fighting measures
5.1. Extinguishing medi	a
Appropriate Extinguishing Methods	Water in form of fog, Co2, foam or dry chemical dust.
Inappropriate Extinguishing Methods	Direct water spray into fire
Specific Hazards	Can liberate toxic fumes or gases during the burning. For decomposition see section 10.
5.2. Special hazards ar	ising from the substance or mixture
Special Methods Evacuate the area and to fight the fire at a safe distance upwind. Use water in f cool containers near the fire. Keep runoff from entering sewer. Extinguishing wa must be disposed according to local legislation.	
5.3. Advice for fire-fight	ers
Firefighter Protection	In fire case, to use personal respiratory device and suits for protection.
	6. Accidental release measures
6.1. Personal precautio	ns, protective equipment and emergency procedures
Personal precautions	ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in
	immediate area). Use only non-sparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material.

Public Safety

Call Suatrans Cotec 0800 7071 767 or 0800 7077 022 or 0800 17 2020 or 55*2*7500 (24 hr) for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use non-sparking tools to collect absorbed material.

6.2. Environmental precautions

Environmental	Stop leak if you can do so without risk. Prevent entry into waterways, sewers,
Precations	basements or confined areas. A vapor suppressing foam may be used to reduce
	vapors. Absorb or cover with dry earth, sand, or other non-combustible material and
	transfer to containers. Use non-sparking tools to collect absorbed material.

6.3. Methods and material for containment and cleaning up

Clean Up Method Cover with sand or other non-cumbustible material. Transfer absorbed material with a non-sparking tool.

7. Handling and storage

7.1. Precautions for safe handling

Handle the packages with care in order to avoid damage and spillage.

Be aware of the precautions referred to on the label.

Avoid contact with the eyes and the skin. Avoid swallowing of vapor and the pulverizations. Be aware of the precautions referred to on the label. Use personal protection equipment according to the section 8. No smoking, drinking or eating in the application areas.

All the ignition sources (hot surfaces, sparks, unprotected flames, etc.) must be excluded from the areas of manufacturing and application. The storage areas, the preparation and the application must be well ventilated. The product can be carried electrostatically. Always use grounding cables when transferring solvents or product. The operators must use adequate outfits which shall not develop static current. (at least 60% of natural fiber) and anti-static shoes.

Solvents based products: The solvent vapors are heavier than the air and can concentrate on the floor and explosive mixtures may be formed with the air .

Water based products: It does not require special cares for not being inflammable or explosive. Use only the indicated personal protection equipments.

7.2. Conditions for safe storage, including any incompatibilities Store between 40-100F (4-38C).

	8. Expos	sure controls an	d personal protection		
		8.1. Control p	parameters		
Exposure					
CAS No.	CAS No. Ingredient Source Value				
0001314-13-2	Zinc oxide	ACGIH	2 mg/m3 TWA (respirable fraction)10 mg/m3 STEL (respirable fraction)		
		Brazil			
0007440-66-6	Zinc	ACGIH			
		Brazil			

	Health Da	ata	
CAS No.	Ingredient	Source	Value
0001314-13-2	Zinc oxide	NIOSH	Metal fume fever
0007440-66-6	Zinc	NIOSH	

Carcinogen Data			
CAS No.	Ingredient	Source	Value
0001314-13-2	Zinc oxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0007440-66-6	Zinc	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

QHA027 - SDS Revision Number: A0 - SDS Revision Date: 04/20/2009

8.2. Exposure controls

Respiratory Protection	Select equipment to provide protection from the ingredients listed in Section 3 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use.
Eye and face protection	Avoid contact with eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 8 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Skin and body protection	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 8 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Engineering Controls	Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.
Special Precations	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

9. Physical and chemical properties			
Appearance	Grey Solid		
Odour threshold	Not Measured		
рН	No Established Limit		
Melting point / freezing point	Not Measured		
Initial boiling point and boiling range	907 (°C) 1665 (°F)		
Flash Point	No Established Limit (°C) No Established Limit(°F)		
Evaporation rate (Ether = 1)	Not Measured		
Flammability (solid, gas)	Not Applicable		
Upper/lower flammability or explosive limits	Lower Explosive Limit: No Established Limit		
	Upper Explosive Limit: No Established Limit		
Vapour pressure (Pa)	Not Measured		
Vapor Density	Heavier than air		
Specific Gravity	7.10		
Solubility in Water	Not Measured		
Partition coefficient n-octanol/water (Log Kow)	Not Measured		
Auto-ignition temperature	Not Measured		
Decomposition temperature	Not Measured		
Viscosity (cSt)	No Established Limit Not Measured		
VOC %	Refer to the Technical Data Sheet or label where information is available.		

10.1. Reactivity

10. Stability and reactivity

Keep away from alkaline or strong strong acid to prevent probable exothermal reactions.

10.2. Chemical stability

This product is stable

10.3. Possibility of hazardous reactions

Dangerous Polymerization will not occur. Heat and vapors in excess can be generated when inproperly used.

10.4. Conditions to avoid

Keep away from alkaline or strong strong acid to prevent probable exothermal reactions.

Strong oxidizing agents

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Can liberate toxic vapors in the welding process. The vapors can produce Dioxide and Monoxide of Carbon. 11. Toxicological information

Acute toxicity

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. No additional information provided for this product. See Sections 3 and 8 for chemical specific data.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr
Zinc - (7440-66-6)	No data available	No data available	No data available	No data available
Zinc oxide - (1314-13-2)	5,000.00, Rat - Category: 5	No data available	No data available	2.50, Mouse - Category: 4

Item	Category	Hazard
Acute Toxicity (mouth)	Not Classified	Not Applicable
Acute Toxicity (skin)	Not Classified	Not Applicable
Acute Toxicity (inhalation)	Not Classified	Not Applicable
Skin corrosion/irritation	Not Classified	Not Applicable
Eye damage/irritation	Not Classified	Not Applicable
Sensitization (respiratory)		Not Applicable
Sensitization (skin)		Not Applicable
Germ toxicity	Not Classified	Not Applicable
Carcinogenicity		Not Applicable
Reproductive Toxicity		Not Applicable
Specific target organ systemic toxicity (single exposure)		Not Applicable
Specific target organ systemic Toxicity (repeated exposure)		Not Applicable
Aspiration hazard	Not Classified	Not Applicable

12.1. Toxicity

12. Ecological information

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 199/45/CE and is classified according to the same as for the environment. For details, see sections 8 and 11. There are no data available on the product. Avoid contamination of drains or watercourses

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
Zinc - (7440-66-6)	0.182, Oncorhynchus tshawytscha	0.068, Daphnia magna	0.106 (72 hr), Pseudokirchneriella subcapitata
Zinc oxide - (1314-13-2)	1.10, Oncorhynchus	0.098, Daphnia	0.042 (72 hr), Pseudokirchneriella
	mykiss	magna	subcapitata

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available

		13. Disposal co	onsideratio	ons		
13.1. Waste treatment	methods	· · · · ·				
General Method of treatment and disposal	Note: Disposal must be in accordance with the federal, state and local regulations. Product: The treatment and the disposal of the product must in accordance the local legislation. Remaining portions of the product: Residues that will not be used must be discarded in accordance the local legislation. Used packing: Do not reuse the packing. Recycle if appropriate or discard in accordance the local legislation.					
		14. Transport				
14.1. UN number 14.2. UN proper shippi 14.3. Transport hazarc	U	N.O.S.	IENTALLY	(HAZARDOUS SUB	STANCE, SOLID,	
Domestic Surfa Proper Ship Name		portation ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		IMO / IMDG (Ocean ⁻ IMDG Proper Shipping Name	Transportation) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC DUST)	
Hazard Clas	SS	9		IMDG Hazard Class	9 - Miscellaneous dangerous substance and articles	
UN / NA Nu Packaging (UN3077 III		UN / NA Number IMDG Packing Group	UN3077 III	
CERCLA/D		Not Applicable gal. / Not Applicable lbs.		System Reference Code	1092	
Risk Numbe	er	30		EMS Marine Pollutant	F-A,S-F Yes	
Name HAZA SUBS SOLII		ATA-DGR) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC DUST)		Wanne i Olutant	165	
Hazard Class 9 UN / NA Number U		9 UN3077				
14.4. Packing group 14.5. Environmental ha	azards					
IMDG Marin	e Pollutai	nt: Yes(Zinc)				
	pplicable					
	accordin pplicable	ig to Annex II of MARPOL	_73/78 an	d the IBC Code		
		15. Regulatory	informati	on		
Regulatory Overview	Product Act # 9 Decrete Resolut of Road	5 2.657, from 3/07/98, reg ts at Work. 6.044 of 18/05/88. Regula 5 1.797, of 25/01/1996, B tion ANTT # 420, of 12/02 d Transport of Hazardous 5 3214 of MTE 500: Identification for the	ations of I iill of Haza 2/2004: co Products	Road Transport of Da ardous Products in the omplementary instruc	ngerous Products. e Mercosul range. tions to the Regulation	

storage of products. NBR 7501: Terminology Transport of Hazardous Products. NBR 7503: Road transport of hazardous products emergency form and envelope Features, dimensions and filling. NBR 9735: Set of equipments for Emergency in the Road Transport of Hazardous Products Procedures. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

WHMIS Classification Not Regulated

16. Other information

The information contained in this Material Safety Data Sheet (MSDS) has the purpose of being a description of the product safety requirements, which were obtained from the literature and current legislation specific about raw materials/ingredients. Thus, the accuracy of the data contained herein is not, expressly or implicitly, assured by the Manufacturer. The product shall not be used for purposes other than the ones specified by the Manufacturer. The user is always liable for taking all required measures to comply with the provisions in this MSDS, as well as with the requirements expressed in the regulations and effective legislation.

Bibliographic references:

- Council Directive 67/548/EEC of June 27, 1967.

- Work and Job department clause # 3.214 of June 08, 1978.

- ABNT NBR 14725 (parts I,II,III and IV) Chemical products Information on safety, health and environment.

Specific use: product meant only for professional use, check the product data sheet.

CAS: Chemical Abstract Service register number It s a register number indicated by the American Chemical Society, which identifies only a specific chemical component.

QHA027_A0 End of Document



Your attention is drawn to the disclaimer on the Product Data Sheet which with this Safety Data Sheet and the package labelling comprise an integral information system about this product. Copies of the Product Data Sheet are available from International Paint on request or from our Internet sites : www.yachtpaint.com , www.international-marine.com, www.international-pc.com