Safety Data Sheet

CHARTEK 1709 PART A

Bulk Sales Reference No.: SDS Revision Date: SDS Revision Number:

HCA179 01/15/2019 B1-8

X.International.

1. Identification of the preparation and company		
1.1. Product identifier		
Product Identity	CHARTEK 1709 PART A	
Bulk Sales Reference No.	HCA179	
1.2. Relevant identified uses of the sub	ostance or mixture and uses advised against	
Intended Use	See Technical Data Sheet.	
1.3. Details of the supplier of the safet	y data sheet	
Company Name	International Paint LLC	
	Manufacturer:	
	Akzo Nobel Coatings International Paint	
	6001 Antoine Drive	
	Houston, Texas 77091	
Emergency CHEMTREC	(800) 424 0200	
International Paint	(800) 424-9300 (713) 682-1711	
Poison Control Center	(800) 854-6813	
Customer Service	(300) 834-0813	
International Paint	(800) 589-1267	
Fax No.	(800) 631-7481	
0	Hazard identification of the product	

2.1. Classification of the substance or mixture

Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
Toxic to aquatic life with long lasting effects.

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.



H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+352 IF ON SKIN: Wash with soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P333+313 If skin irritation or a rash occurs: Get medical advice/attention.

P337 If eye irritation persists:.

P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P501 Dispose of contents / container in accordance with local / national regulations.

HMIS Rating	Health: 2	Flammability: 1	Reactivity: 0
-------------	-----------	-----------------	---------------

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Ammonium polyphosphate CAS Number: 0068333-79-9	25 - 50	Not Classified	[1]
Bisphenol A - Epichlorohydrin polymer CAS Number: 0025068-38-6	25 - 50	Eye Irrit. 2;H319 Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Chronic 2;H411	[1]
Triphenyl phosphate CAS Number: 0000115-86-6	1.0 - 10	Aquatic Chronic 1;H410	[1][2]
Trimethylolpropane triacrylate CAS Number: 0015625-89-5	1.0 - 10	Eye Irrit. 2;H319 Skin Irrit. 2;H315 Skin Sens. 1;H317	[1]
1,3,5-Triazine-2,4,6-triamine CAS Number: 0000108-78-1	1.0 - 10	Not Classified	[1]
Amorphous silica, hydrophobic CAS Number: 0067762-90-7	1.0 - 10	Not Classified	[1]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.
Ingestion	If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.
4.2. Most important syn	nptoms and effects, both acute and delayed
Overview	NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage.

Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid contact with eyes, skin and clothing.

Inhalation	Harmful if inhaled. Causes nose and throat irritation. Vapors may affect the brain or nervous system causing dizziness, headache or nausea.
Eyes	Causes severe eye irritation. Avoid contact with eyes.
Skin	Causes skin irritation. May be harmful if absorbed through the skin.
Ingestion	Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.
Chronic effects	

5. Fire-fighting measures

5.1. Extinguishing media

SMALL FIRES: Use dry chemical, CO2, water spray or foam. LARGE FIRES: Use water spray, fog, or foam. Move containers from fire area if you can do so without risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the material.

5.2. Special hazards arising from the substance or mixture

No data available

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water courses. ERG Guide No. 159

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. LARGE SPILLS: Dike far ahead of liquid spill to contain released material and runoff from fire control.

6.2. Environmental precautions

Do not allow spills to enter drains or watercourses.

6.3. Methods and material for containment and cleaning up

CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

7. Handling and storage

7.1. Precautions for safe handling

Handling

Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discared after each use.

In Storage

Keep away from heat, sparks and flame.

7.2. Conditions for safe storage, including any incompatibilities

Store between 40-100F (4-38C).

Avoid contact with eyes, skin and clothing.

No data available

Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone.

7.3. Specific end use(s)

Close container after each use.

Wash thoroughly after handling.

Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.

8. Exposure controls and personal protection

	8.1.	Control pa	
CAS No.	Ingradiant	Exposu Source	Value
	Ingredient		
0000108-78-1	1,3,5-Triazine-2,4,6-triamine	OSHA ACGIH	No Established Limit No Established Limit
		NIOSH	No Established Limit
			No Established Limit
		Supplier OHSA,	No Established Limit
		CAN	
		Mexico	No Established Limit
		Brazil	No Established Limit
0000115-86-6	Triphenyl phosphate	OSHA	3 mg/m3 TWA
		ACGIH	3 mg/m3 TWA
		NIOSH	3 mg/m3 TWA1000 mg/m3 IDLH
		Supplier	No Established Limit
		OHSA, CAN	3 mg/m3 TWA
		Mexico	3 mg/m3 TWA VLE-PPT
		Brazil	No Established Limit
0015625-89-5	Trimethylolpropane triacrylate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
		OHSA,	No Established Limit
		CAN	
		Mexico	No Established Limit
		Brazil	No Established Limit
0025068-38-6 Bisphenol A - Ep polymer	Bisphenol A - Epichlorohydrin	OSHA	No Established Limit
	polymer	ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
		OHSA, CAN	No Established Limit
		Mexico	No Established Limit
		Brazil	No Established Limit
0067762-90-7	Amorphous silica, hydrophobic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
		OHSA, CAN	No Established Limit
		Mexico	No Established Limit
		Brazil	No Established Limit
0068333-79-9	Ammonium polyphosphate	OSHA	No Established Limit
	- Feilingebriefe	ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
		OHSA, CAN	No Established Limit
		Mexico	No Established Limit
		Brazil	No Established Limit
			+

8.1. Control parameters

Health Data			
CAS No.	Ingredient	Source	Value
0000108-78-1	1,3,5-Triazine-2,4,6-triamine	NIOSH	No Established Limit
0000115-86-6	Triphenyl phosphate	NIOSH	Neurotoxicity in animals

0015625-89-5	Trimethylolpropane triacrylate	NIOSH	No Established Limit
0025068-38-6	Bisphenol A - Epichlorohydrin polymer	NIOSH	No Established Limit
0067762-90-7	Amorphous silica, hydrophobic	NIOSH	No Established Limit
0068333-79-9	Ammonium polyphosphate	NIOSH	No Established Limit

CAS No.	Ingredient	Carcir Source	
•	1,3,5-Triazine-2,4,6-triamine		Select Carcinogen: Yes
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;
0000115-86-6	Triphenyl phosphate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0015625-89-5	Trimethylolpropane triacrylate	OSHA	Select Carcinogen: Yes
t		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;
0025068-38-6 	Bisphenol A - Epichlorohydrin polymer	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0067762-90-7	hydrophobic	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0068333-79-9	Ammonium polyphosphate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory	Select equipment to provide protection from the ingredients listed in Section 3 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1-800-243-4630, in Canada call 1-800-267-4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.
Eyes	Avoid contact with eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Skin	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Engineering Controls Other Work Practices	Depending on the site-specific conditions of use, provide adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.
	9. Physical and chemical properties

Appearance Odor threshold pH Melting point / freezing point Initial boiling point and boiling range Flash Point Evaporation rate (Ether = 1) Flammability (solid, gas) Upper/lower flammability or explosive limits	Coloured Liquid Not Measured No Established Limit Not Measured 200 (°C) 392 (°F) 200 (°C) 392 (°F) Not Measured Not Applicable Lower Explosive Limit: No Established Limit
	Upper Explosive Limit: No Established Limit
vapor pressure (Pa)	Not Measured
Vapor Density	Heavier than air
Specific Gravity	1.41
Solubility in Water	Not Measured
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	No Established Limit Not Measured
VOC %	Refer to the Technical Data Sheet or label where information is available.

10. Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

This product is stable and hazardous polymerization will not occur. Not sensitive to mechanical impact. Excessive heat and fumes generation can occur if improperly handled.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

11. Toxicological information

Acute toxicity

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr
Ammonium polyphosphate - (68333-79-9)	2,000.00, Rat - Category: 4	No data available	No data available	No data available
Bisphenol A - Epichlorohydrin polymer - (25068-38-6)	5,001.00, Rat - Category: NA	20,000.00, Rabbit - Category: NA	No data available	No data available
Triphenyl phosphate - (115-86-6)	3,500.00, Rat - Category: 5	7,900.00, Rabbit - Category: NA	No data available	4.20, Mammal - Category: 4
Trimethylolpropane triacrylate -	5,709.00, Rat -	5,001.00,	No data	No data available

(15625-89-5)	Category: NA	Rabbit - Category: NA	available	
1,3,5-Triazine-2,4,6-triamine - (108-78-1)	3,161.00, Rat - Category: 5	1,000.00, Rabbit - Category: 3	No data available	No data available
Amorphous silica, hydrophobic - (67762-90-7)	No data available	2,001.00, Rat - Category: 5	No data available	No data available

Item	Category	Hazard
Acute Toxicity (mouth)	Not Classified	Not Applicable
Acute Toxicity (skin)	Not Classified	Not Applicable
Acute Toxicity (inhalation)	Not Classified	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Eye damage/irritation	2	Causes serious eye irritation.
Sensitization (respiratory)	Not Classified	Not Applicable
Sensitization (skin)	1	May cause an allergic skin reaction.
Germ toxicity	Not Classified	Not Applicable
Carcinogenicity	Not Classified	Not Applicable
Reproductive Toxicity	Not Classified	Not Applicable
Specific target organ systemic toxicity (single exposure)	Not Classified	Not Applicable
Specific target organ systemic Toxicity (repeated exposure)	Not Classified	Not Applicable
Aspiration hazard	Not Classified	Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Ammonium polyphosphate - (68333-79-9)	Not Available	Not Available	0.00 (hr),
Bisphenol A - Epichlorohydrin polymer - (25068-38-6)	3.10, Pimephales promelas	1.40, Daphnia magna	Not Available
Triphenyl phosphate - (115-86-6)	0.225, Oncorhynchus mykiss	1.00, Daphnia magna	2.00 (96 hr), Pseudokirchneriella subcapitata
Trimethylolpropane triacrylate - (15625-89-5)	1.47, Leuciscus idus	19.90, Daphnia magna	4.86 (96 hr), Desmodesmus subspicatus
1,3,5-Triazine-2,4,6-triamine - (108-78-1)	3,000.00, Poecilia reticulata	2,000.00, Daphnia magna	940.00 (96 hr), Scenedesmus subspicatus
Amorphous silica, hydrophobic - (67762-90-7)	5,001.00, Fish	5,001.00, Daphnia magna	5,001.00 (72 hr), Algae

12.2. Persistence and degradability
No data available
12.3. Bioaccumulative potential
Not Measured
12.4. Mobility in soil
No data available
12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available

Triphenyl phosphate

13. Disposal considerations 13.1. Waste treatment methods Do not allow spills to enter drains or watercourses. Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed). 14. Transport information 14.1. UN number Not Regulated 14.2. UN proper shipping name Not Regulated 14.3. Transport hazard class(es) DOT (Domestic Surface Transportation) IMO / IMDG (Ocean Transportation) IMDG Proper Not Regulated Proper Shipping Not Regulated Name Shipping Name Hazard Class Not Regulated IMDG Hazard Class Not Regulated Sub Class Not applicable UN / NA Number Not Regulated Packing Group Not Regulated IMDG Packing Group Not Regulated CERCLA/DOT RQ Not Applicable gal. / System Reference 9 Not Applicable lbs. Code 14.4. Packing group Not Regulated 14.5. Environmental hazards IMDG Marine Pollutant: Yes (Bisphenol A - Epichlorohydrin polymer) 14.6. Special precautions for user Not Applicable 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not Applicable 15. Regulatory information The regulatory data in Section 15 is not intended to be all-inclusive, only selected **Regulatory Overview** regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory. WHMIS Classification D2B DOT Marine Pollutants (10%): (No Product Ingredients Listed) DOT Severe Marine Pollutants (1%) Triphenyl phosphate EPCRA 311/312 Chemicals and RQs (>.1%) : (No Product Ingredients Listed) EPCRA 302 Extremely Hazardous (>.1%) : (No Product Ingredients Listed) EPCRA 313 Toxic Chemicals (>.1%) : (No Product Ingredients Listed) Mass RTK Substances (>1%) : 1,3,5-Triazine-2,4,6-triamine Triphenyl phosphate Penn RTK Substances (>1%) : 1,3,5-Triazine-2,4,6-triamine

Penn Special Hazardous Substances (>.01%) :
Carbon black
RCRA Status:
(No Product Ingredients Listed)
N.J. RTK Substances (>1%):
Triphenyl phosphate
N.J. Special Hazardous Substances (>.01%) : (No Product Ingredients Listed)
Carbon black
N.J. Env. Hazardous Substances (>.1%) : (No Product Ingredients Listed)
Proposition 65 - Carcinogens (>0%):
Carbon black
Proposition 65 - Female Repro Toxins (>0%): (No Product Ingredients Listed)
Proposition 65 - Male Repro Toxins (>0%): (No Product Ingredients Listed)
Proposition 65 - Developmental Toxins (>0%): (No Product Ingredients Listed)
16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

The following sections have changed since the previous revision.

SECTION 2: Hazards identification

SECTION 4: First aid measures

SECTION 5: Fire-fighting measures

SECTION 9: Physical and chemical properties

SECTION 10: Stability and reactivity

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 14: Transport information

End of Document